Contents
Selection of Schedules2
Section 1 – General Commercial and Industrial 12
Section 2 – Commercial and Industrial Yard Structures 27
Section 3 – Special Use Commercial Properties42
Location Cost Multipliers 44
<u>Tables</u>
Table G-1 –Location Cost Multipliers by County45

Selection of Schedules

The following is an alphabetical list of various commercial and industrial improvements. The list shows the use-type from Schedule A or, if Schedule A does not apply, the proper schedule to be used in computing the replacement cost. The list refers to commercial and industrial type construction. If the improvement involved is either a dwelling or a converted dwelling, it would be more appropriate to use the residential pricing schedules in computing the replacement cost. The following is the alphabetical listing:

- Airport facilities as follows:
 - Cargo facilities GCI warehouse.
 - Maintenance and service buildings GCI small shop.
 - Passenger terminals, ground floor GCM hotel/motel service.
 - Passenger terminals, upper floor GCM general office.
- Apartments as follows:
 - Commercial flats, one (1) through three (3) stories and wood joist framing — GCR apartment unit.
 - Commercial flats, four (4) or more stories GCM apartment unit.
 - Club house GCR service.
 - Elevator apartments, one (1) through three (3) stories and wood joist framing — GCR apartment unit.
 - Elevator apartments, four (4) or more stories GCM apartment unit.
 - Fireproof steel apartments GCM apartment unit.
 - Fire resistant apartments GCM apartment unit.
 - Reinforced concrete apartments GCM apartment unit.
 - Walk-up wood joist framed apartments GCR apartment unit.
 - Service areas "1" GCR motel service.
- Arenas Schedule G.
- Auditoriums GCM theater.
- Auto and truck agencies as follows:
 - Administrative offices as follows:
 - One story wood joist framing GCR general office.
 - Multi-story or fire resistant, reinforced concrete, or fireproof steel framing — GCM general office.
 - Body shop "1" GCI commercial garage.
 - Parts storage "1" GCI utility storage.
 - Service garage GCM auto service.
 - Showrooms GCM auto showroom.
- Auto and truck repair as follows:
 - Auto agencies service departments GCM auto service.
 - Body shops "1" GCI commercial garage.
 - Department store centers GCM auto service.
 - Franchise type centers GCM auto service.

- Small private garages GCM utility storage.
- Truck terminal garage GCI small shop.
- Industrial related garages GCI small shop.
- Bakeries GCM general retail.
- Banks as follows:
 - One story wood joist framing GCR bank.
 - Multi-story or fire resistant, reinforced concrete, or fire-proof steel framing — GCM bank.
- Barber shops GCM general retail.
- Bars and grills GCM general retail.
- Beauty shops GCM general retail.
- Boat garages or storage GCM utility storage.
- Boat sales and service GCM general retail and utility storage.
- Body shops GCI commercial garage.
- Bottling plants as follows:
 - Administrative office GCI office.
 - Processing facilities GCI manufacturing.
- Bowling alleys GCM bowling alley.
- Bulk plants as follows:
 - Administrative offices GCI office.
 - Maintenance and service facilities GCI small shop.
 - Processing facilities GCI manufacturing.
 - Tanks Schedule G.
- Bus terminals as follows:
 - Inter-city GCM hotel/motel service.
 - Urban-suburban GCM general retail.
- Carry outs GCM general retail and utility storage.
- Car washes as follows:
 - Auto wash GCM car wash auto.
 - Drive-through Schedule G.
- Churches GCM theater.
- City clubs GCM hotel.
- City halls as follows:
 - One story wood joist framing GCR general office.
 - Multi-story or fire resistant, reinforced concrete, or fireproof steel framing — GCM general office.
- Class and lectures as follows:
 - One story wood joist framing GCR general office.
 - Multi-story or fire resistant, reinforced concrete, or fireproof steel framing — GCM general office.
- Classroom multipurpose as follows:
 - One story wood joist framing GCR general office.

- Multi-story or fire resistant, reinforced concrete, or fireproof steel framing — GCM general office.
- Club houses GCR service.
- Cold storage GCI small shop.
- College facilities as follows:
 - Class and lecture as follows:
 - One story wood joist framing GCR general office.
 - Multi-story or fire resistant, reinforced concrete, or fireproof steel framing — GCM general office.
 - Laboratory as follows:
 - One store wood joist framing GCR general office.
 - Multi-story or fire resistant, reinforced concrete, or fireproof steel framing — GCM general office.
 - Student union as follows:
 - One story wood joist framing GCR general office.
 - Multi-story or fire resistant, reinforced concrete, or fireproof steel framing — GCM general office.
- Community recreational centers as follows:
 - One story wood joist framing GCR general office.
 - Multi-story or fire resistant, reinforced concrete, or fireproof steel framing — GCM general office.
- Condominiums as follows:
 - One (1) through three (3) stories and wood joist framing GCR apart¬ment unit.
 - Four (4) or more stories GCM apartment unit.
 - Residential row type Residential Schedule A.
- Convenience markets GCM convenience market.
- Convents GCM apartment.
- Correctional institutions as follows:
 - One story wood joist framing GCR general office.
 - Multi-story or fire resistant, reinforced concrete, or fireproof steel framing — GCM general office.
- Country clubs GCM hotel service.
- Courthouses as follows:
 - One story wood joist framing GCR general office.
 - Multi-story or fire resistant, reinforced concrete, or fireproof steel framing — GCM general office.
- Credit unions as follows:
 - One story wood joist framing GCR bank.
 - Multi-story or fire resistant, reinforced concrete, or fireproof steel framing - GCM bank.
- Dairies as follows:
 - Administrative offices GCI office.

- Plant GCI manufacturing.
- Small retail type -"2" GCM general retail and utility storage.
- Data processing centers -"3" as follows:
 - One story wood joist framing GCR general office.
 - Multi-story or fire resistant, reinforced concrete, or fireproof steel framing — GCM general office.
- Day care centers as follows:
 - Commercial type as follows:
 - One story wood joist framing GCR general office.
 - Multi-story or fire resistant, reinforced concrete, or fireproof steel framing — GCM general office.
 - Residential type Residential Schedule A.
- Dental laboratories as follows:
 - One story wood joist framing GCR medical office.
 - Multi-story or fire resistant, reinforced concrete, or fireproof steel framing — GCM medical office.
- Dental offices as follows:
 - One story wood joist framing GCR medical office.
 - Multi-story or fire resistant, reinforced concrete, or fireproof steel framing — GCM medical office.
- Department stores GCM department stores.
- Discount stores GCM discount.
- Dispensaries as follows:
 - One story wood joist framing GCR general office.
 - Multi-story or fire resistant, reinforced concrete, or fireproof steel framing — GCM general office.
- Dock facilities Schedule E.
- Dormitories GCM apartment.
- Drive-in theaters Schedule G.
- Drug stores GCM general retail.
- Dry cleaners as follows:
 - Administrative office GCI office.
 - Plant GCI small shop.
 - Small retail type GCM general retail and utility storage "2".
- Electric generation as follows:
 - Auxiliary maintenance and service buildings GCI small shop.
 - Processing facility GCI power generating plant.
- Emergency medical centers as follows:
 - One story wood joist framing GCR medical office.
 - Multi-story or fire resistant, reinforced concrete, or fireproof steel framing — GCM medical office.
- Factories GCI manufacturing.

- Financial offices as follows:
 - One story wood joist framing GCR general office.
 - Multi-story or fire resistant, reinforced concrete, or fireproof steel framing — GCM general office.
- Fire stations GCI office.
- Food and beverage processing facilities as follows:
 - Administrative offices GCI office.
 - Plant GCI manufacturing.
- Fraternal associations as follows:
 - Administrative offices as follows:
 - One story wood joist framing GCR general office.
 - Multi-story or fire resistant, reinforced concrete, or fireproof steel framing — GCM general office.
 - Assembly hall GCM theater.
 - Dining areas GCM dining lounge.
- Fraternity houses as follows:
 - Residential type Residential Schedule A.
 - Modern high rise GCM apartment.
- Funeral homes as follows:
 - Residential type Residential Schedule A.
 - Designed as follows:
 - One (1) through three (3) stories and wood joist framing GCR funeral home.
 - Four (4) or more stories GCM funeral home.
- Furniture marts as follows:
 - Sales area GCM discount.
 - Warehouse area GCM utility storage.
- Garage as follows:
 - Residential type Yard improvement rule.
 - Commercial type Commercial garage schedule.
- Golfing facilities as follows:
 - Club houses, private course GCM hotel service.
 - Club houses, public course GCM general retail.
 - Driving ranges Schedule G.
 - Miniature courses Schedule G.
 - Regulation play Schedule G.
 - Short play Schedule G.
- Governmental offices as follows:
 - One story wood joist framing GCR general office.
 - Multi-story or fire resistant, reinforced concrete, or fireproof steel framing — GCM general office.
- Grain elevators Grain elevator schedule.

- Greenhouses as follows:
 - Commercial type Schedule G.
 - Residential type Residential Schedule G.
- Gymnasiums GCM theater.
- Hangars GCI hangar.
- Health clubs GCM health club.
- Hospitals as follows:
 - Convalescent as follows:
 - One story wood joist framing GCR general office.
 - Multi-story or fire resistant, reinforced concrete, or fireproof steel framing — GCM general office.
 - Full line as follows:
 - One story wood joist framing GCR general office.
 - Multi-story or fire resistant, reinforced concrete, or fireproof steel framing — GCM general office.
- Hotels, resort lodge, as follows:
 - Guest rooms GCM hotel/motel units.
 - Service GCM hotel/motel service.
- Ice skating rinks GCM ice rink.
- Industrial facilities as follows:
 - Administrative offices GCI office.
 - Maintenance and service "1" GCI small shop.
 - Manufacturing, processing, and assembly GCI manufacturing.
 - Receiving and storage "1" GCI warehouse.
- Labor associations as follows:
 - Administrative offices as follows:
 - One story wood joist framing GCR general office.
 - Multi-story or fire resistant, reinforced concrete, or fireproof steel framing — GCM general office.
 - Assembly halls GCM theater.
- Laundromats GCM general retail.
- Libraries as follows:
 - One story wood joist framing GCR general office.
 - Multi-story or fire resistant, reinforced concrete, or fireproof steel framing — GCM general office.
- Lounges GCM dining lounge.
- Maintenance and service shops GCI small shop.
- Mall enclosures Mall concourse area schedule.
- Manufacturing facilities as follows:
 - Manufacturing, processing, and assembly GCI manufacturing.
 - Small shops GCI small shop.
- Marinas as follows:

- Boat sales GCM general retail.
- Boat service GCM utility storage.
- Boat garages or storage GCM utility storage.
- Medical clinics as follows:
 - Full line See hospitals.
 - Limited service as follows:
 - One story wood joist framing GCR medical office.
 - Multi-story or fire resistant, reinforced concrete, or fireproof steel framing — GCM medical office.
 - Special purpose as follows:
 - One story wood joist framing GCR medical office.
 - Multi-story or fire resistant, reinforced concrete, or fireproof steel framing — GCM medical office.
 - Multipurpose as follows:
 - One story wood joist framing GCR general office.
 - Multi-story or fire resistant, reinforced concrete, or fireproof steel framing — GCM general office.
- Mini-warehouses GCI mini-warehouse.
- Mobile home parks commercial yard improvement rule.
- Motels as follows:
 - Low-rise walk-up type and wood joist framing GCR motel units.
 - Elevator types as follows:
 - One (1) through three (3) stories and wood joist framing GCR motel units.
 - Four (4) or more stories GCM hotel/motel units.
 - Service as follows:
 - One (1) through (3) stories and wood joist framing GCR motel service.
 - Four (4) or more stories GCM hotel/motel service.
- Museums as follows:
 - One story wood joist framing GCR general office.
 - Multi-story or fire resistant, reinforced concrete, or fireproof steel framing — GCM general office.
- Night clubs GCM dining lounge.
- Nursery schools as follows:
 - Residential type Residential Schedule A.
 - Commercial type as follows:
 - One story wood joist GCR general office.
 - Multi-story or fire resistant, reinforced concrete, or fireproof steel framing — GCM general office.
- Nursing homes as follows:
 - One (1) through three (3) stories and wood joist framing GCR nursing home.

- Four (4) or more stories GCM nursing home.
- Offices as follows:
 - Governmental as follows:
 - One story wood joist framing GCR general office.
 - Multi-story or fire resistant, reinforced concrete, or fireproof steel framing — GCM general office.
 - Multipurpose as follows:
 - One story wood joist framing GCR general office.
 - Multi-story or fire resistant, reinforced concrete, or fireproof steel framing — GCM general office.
 - Special purpose GCI office.
 - Medical as follows:
 - One story wood joist framing GCR medical office.
 - Multi-story or fire resistant, reinforced concrete, or fireproof steel framing — GCM medical office.
- Open lumber storage GCM utility storage (adjust for lack of walls and interior components).
- Parking garages GCM parking garage.
- Photo labs as follows:
 - One story wood joist framing GCR general office.
 - Multi-story or fire resistant, reinforced concrete, or fireproof steel framing — GCM general office.
- Police stations GCI office.
- Post offices as follows:
 - Designed as follows:
 - One story wood joist framing GCR general office.
 - Multi-story or fire resistant, reinforced concrete, or fireproof steel framing — GCM general office.
 - Rural type -— GCM general retail.
 - Residential type Residential Schedule A.
- Printing and publishing facilities as follows:
 - Administrative offices GCI office.
 - Plants GCI manufacturing.
 - Small commercial type GCI small shop.
- Racquetball court building GCM health club.
- Radio and television stations as follows:
 - Building GCI office "4".
 - Small transmitting buildings as follows:
 - One story wood joist framing GCR general office.
 - Multi-story or fire resistant, reinforced concrete, or fireproof steel framing — GCM general office.
- Rectories GCM apartment.
- Research and development facilities GCI re¬search/development.

- Reservoirs Schedule G.
- Restaurants as follows:
 - Special purpose designs, supper club type GCM dining lounge.
 - Multipurpose designs, neighborhood type GCM general retail.
 - Fast food Fast food schedule.
- Roller rinks GCM bowling alley.
- Savings and loan as follows:
 - One story wood joist framing GCR bank.
 - Multi-story or fire resistant, reinforced concrete, or fire-proof steel framing - GCM bank.
- Schools as follows:
 - Grades one (1) through twelve (12) as follows:
 - One story wood joist framing GCR general office.
 - Multi-story or fire resistant, reinforced concrete, or fireproof steel framing — GCM general office.
 - Grades thirteen (13) plus as follows:
 - One story wood joist framing GCR general office.
 - Multi-story or fire resistant, reinforced concrete, or fireproof steel framing — GCM general office.
- Service stations Service station schedule.
- Showrooms as follows:
 - Auto agency GCM auto showroom.
 - Auto service center GCM auto service.
- Small shops GCI small shop.
- Steam generating plants as follows:
 - Auxiliary maintenance and service buildings GCI small shop.
 - Processing facility GCI power generating plant.
- Storage GCM utility storage.
- Stores as follows:
 - Bake shops GCM general retail and utility storage "2".
 - Beverage carry-outs GCM general retail and utility storage "2".
 - Drug stores GCM general retail.
 - Personal service shops GCM general retail.
- Student unions as follows:
 - One story wood joist framing GCR general office.
 - Multi-story or fire resistant, reinforced concrete, or fireproof steel framing — GCM general office.
- Supper clubs GCM dining lounge.
- Swimming pools as follows:
 - Commercial Schedule G.
 - Residential Residential Schedule G.
 - Pool enclosure as follows:

- Residential type Residential Schedule G.
- Commercial type GCM general retail.
- Synagogues and temples See churches.
- Taverns, neighborhood type GCM general retail.
- Telephone exchange offices as follows:
 - One story wood joist framing GCR general office.
 - Multi-story or fire resistant, reinforced concrete, or fireproof steel framing — GCM general office.
- Tennis barns GCM health club.
- Theaters as follows:
 - Community, live performance GCM theater.
 - Drive-in Schedule G.
 - Metropolitan, live performance or movie GCM theater.
 - Suburban, movie GCM theater.
- Town halls as follows:
 - One story wood joist framing GCR general office.
 - Multi-story or fire resistant, reinforced concrete, or fireproof steel framing — GCM general office.
- Trailer courts Yard improvement rule.
- Truck terminals, dock type and back-in type GCI truck terminal.
- Tunnels Basement rates from GCM or GCI, calculate using tunnel PAR.
- University facilities See college facilities.
- Veterinary hospitals as follows:
 - One story wood joist framing GCR general office.
 - Multi-story or fire resistant, reinforced concrete, or fireproof steel framing — GCM general office.
- Warehouses GCI warehouse.
- Water storage tanks Schedule G.
- Youth hostels GCR nursing home.
- Note: If an item listed in the Selection of Schedules section contains a number, such as "1", it means the following:
- "1" means if priced as a separate building, section, or floor.
- "2" means calculated percentage of each.
- "3" means generally requires a floor adjustment from Schedule C.
- "4" means a plus or minus design consideration.

SCHEDULE A.1 GCM Base Prices

										2						1	3	4
									Fire	Resist	ant					Wood	Rein	FP
loor	Fin	Use	Flr	Wall												Jst	Conc	Ste
Level	Туре	Туре	Hgt	Туре	1	2	3	4	5	6	7	8	9		+1	(-)	(+)	(+)
Sub Bsmt	UF	Parking	8'	2	25.42	28.32	31.91	36.84	39.23	43.31	48.29	55.46	60.64	67.06 1	1.42	11.02	9.76	12.2
Bsmt	UF	Utility/Storage	9'	1 2	17.05 18.04	18.23 20.26		22.16 26.61	22.96 28.66	24.66 31.69	26.91 35.36	30.17 40.34	32.45 44.01	35.34 5 48.50 7		7.38 9.07	6.57 7.71	8.1 9.6
		Stand Alone	9'	1	21.25	23.27		29.30	31.10	33.85	37.25	42.10	45.56	49.82 7		7.38	7.62	9.5
		Basement	Ü	2		25.29	29.13	33.75	36.81		45.69	52.27	57.12	62.98		9.07	8.53	10.
		Parking Garage	8'	2	21.22	23.29		29.70	31.09		37.96	43.53	47.53	52.58 1	0.06	9.12	7.55	9.4
	FO	General Retail	12'	1	37.81	40.18	43.70	47.92	50.03	53.23		62.93	66.81	71.60 7	7.82	8.38	7.65	9.6
				2		55.89		67.41			81.93	89.93		102.15		9.77	8.95	11.
		Dinning/Lounge	10'	1	50.89	53.28	57.24		63.88	67.03		76.81	80.55	85.17		8.38	5.46	6.9
		0"		2		55.50		66.55	70.13		80.29	87.96 73.69	93.23	99.60 8		9.77	6.05	7.6
	FD	Office	10'	1	56.06 57.32	57.37 59.88	58.43 62.20	60.40	62.31 67.28	64.11	68.03 77.30	84.85	77.38 90.06	81.93 7 96.36 8		7.34 8.74	5.92 6.56	7. ! 8.3
		Apartment	10'	2 1	37.40	39.34		46.04	47.74	50.34		58.47	61.65	65.59		8.04	8.15	8.4
		Apartment	10	2		42.06		51.78	55.00		64.36	71.36	76.29	82.26		8.77	9.11	9.2
First	UF	Utility/Storage	14'	1	19.65	23.44	28.21	33.07	37.67	42.46	47.70	54.49	59.59		5.12	11.07	12.30	13.
				2	21.05	26.33	32.78	39.41	45.79	52.46	59.73	68.98	76.07	84.37	3.24	12.21	13.57	15.
		Parking Garage*	10'	1	19.05	21.67	24.90	28.89	31.47	35.04		44.94	49.15	54.38	3.03	10.95	11.90	13.
				2		23.55		33.02	36.77		46.95	54.38	59.89	66.59			12.66	
				4		21.09		29.08	32.12		40.75	47.16	51.87	57.68 8			11.84	
	SF	Car Wash Auto	12'	1	27.19	31.09	36.21	41.29	45.98	50.72		63.26	68.49		5.70	10.65	11.83	13
		Les Diels	401	2	28.35 38.60	33.47 43.65		46.52 56.86	52.69 62.88	69.13	66.03 76.10	75.22 85.33	82.09 92.05	90.20 8		13.53	13.12	
		Ice Rink	18'	1 2		47.54		65.40	73.83			104.87		125.31 1				
		Auto Service	14'	1	33.36	37.69	43.48	49.18	54.27	59.65	65.64	73.59	79.36	86.22 7		11.94	13.27	15
		Auto Gervice		2		40.58		55.51	62.40		77.67	88.08		104.96			14.71	
	FO	Auto Showroom	14'	1	42.41	48.08	55.47	62.92	69.70	76.73		94.89		111.35		9.00	10.00	11.
				2	43.82	50.97	60.05	69.26	77.82	86.73	96.60	109.38	118.91	130.09 1	1.36	10.10	11.22	12
		Bowling Alley	14'	1	43.14	48.00 50.89		61.03 67.36	66.83 74.95	72.83	79.56	88.55		102.66 8 121.40 1		8.78	9.76 10.63	11 12
		Theater **	20'	<u>2</u> 1	55.24	61.75	70.32	78.99	86.41			113.73	122.01	131.81		10.61	11.79	14
		meater	20	2	57.38	66.15		88.63	98.78					160.34 1			12.42	
		Health Club ***	12'	1	51.30	55.14	58.93		66.35	71.88		86.40	92.29		7.13	7.34	8.12	9.
				2	52.65	57.83	62.98	68.04	73.06	80.13	88.01	98.37	105.90	114.78 8	8.88	8.44	8.75	10
		General Retail	14'	1	40.15	45.34	52.29	59.10	65.34	71.60	78.78	88.28	95.18	103.38 8	3.59	8.38	10.78	13
				2	41.56	48.23	56.87		73.46					122.12 1		9.77		
		Discount	14'	1	38.81	43.81	50.21	56.80	62.41	68.08	74.83	83.06	89.41	96.97		9.49	10.54	13
				2	40.21			63.14						115.71 1				
		Regional	14'	1	40.79	46.02 48.91		59.88 66.22	66.16		79.68	89.25		104.43 8 123.17 1		9.02	10.02 10.94	
		Shopping Center Neighborhood	14'	<u>2</u> 1		45.00	51.92		64.93		78.33	87.81		102.87 8		9.54	10.94	13
		Shopping Center	14	2		47.89		65.04						121.61 1				
		Department Store	16'	1		56.54		66.96	71.94		86.71			112.87				
				2	53.01	60.37	67.38	74.59	81.48	90.47	100.83	113.47	123.32	134.88 1	1.68	11.54	12.82	13
		Supermarket	14'	1	43.29	48.56		62.63		75.30	82.58	92.24	99.22	107.50 8	3.62	8.71	9.68	11.
				2		51.44			77.07					126.24 1			10.51	
		Convenience Market	12'	1	43.04	48.07		61.59	67.62		80.62			104.46 8		8.68	9.64	11.
				2		50.45		66.82						119.94 1			10.29	
		Dinning/Lounge	12'	1	53.39	58.20		71.87						113.68 7		5.42	8.07	10
		Llotol Matal	10!	2	54.55	60.59 58.93		77.10 72.70	78.58					129.16 9		5.00 7.88	8.64 8.76	10
	FD	Hotel Motel Service	12'	1 2		61.32		77.93						129.99		8.38	9.31	11
		Bank	14'	1		70.73		78.58	83.20					116.56 8		8.17	7.78	9.
		Dank	1-7	2		74.27			90.47					135.30 1			8.49	10
		General Office	12'	1		63.37		71.27						110.85 7		6.38	9.31	11
				2	60.74	66.06			81.94	89.43	97.80	108.89	116.88	126.32	9.54	5.71	9.89	11
		Medical Office	12'	1	65.50	69.47	73.41	77.38	81.34	87.42	94.31	103.65	110.14	117.88 7	7.86	7.69	9.08	10
				2	66.84	72.17	77.46	82.75	88.05	95.68	104.24	115.61	123.75	133.35	9.61	7.02	9.63	11

GCM Base Prices (continued)

										2						1	3	4
									Fi	re Resis	stant					Wood	Rein	F
loor	Fin	Use	Flr	Wall												Jst	Conc	St
evel	Type	Туре	Hgt	Type	1	2	3	4	5	6	7	8	9	10	+1	(-)	(+)	(
irst	FD	Country Club	12'	1	59.63	64.59	71.86	78.75	84.69	90.60	97.48		113.31	121.01	7.77	4.93	9.08	10
		Funeral Home	12'	<u>2</u> 1	60.80 54.27	66.97 59.09	75.63 66.05	83.98 72.69	91.40 78.48	98.85 84.23	107.41 90.92	118.81	126.91	136.49 113.86	9.52 7.71	4.51 4.93	9.61	11
		Funeral Home	12	2	55.43	61.48		77.92	85.18	92.49	100.86		119.92	129.33	9.46	4.93 4.51	9.67	1
		Nursing Home	10'	1	50.73	55.10	61.45	67.61	72.88	78.18	84.11	92.35	98.07	104.89	6.82	6.49	9.33	1
				2	51.65	56.98	64.43	71.73	78.18	84.69	91.94	101.79	108.80	117.10	8.20	5.82	9.75	1
		Hotel Motel Unit	10'	1	51.64	55.15	58.64	62.14	65.64	70.86	76.70	84.51	90.00	96.50	6.08	7.80	9.07	1
				2	52.70	57.28	61.83		70.93	77.38	84.54	93.95	100.74	108.71	7.46	8.23	9.48	1
		Apartment	10'	1	39.07 39.99	43.07 44.95	48.66 51.64	54.14 58.27	58.97 64.26	63.96 70.47	69.51 77.35	76.92 86.35	82.17 92.90	88.39 100.60	5.92 7.30	6.41 6.85	9.09 9.67	10
Wall	UF	+/-	1'	<u>2</u> 1	0.16	0.26	0.37	0.49	0.60	0.73	0.86	1.02	1.15	1.30	0.14	0.03	0.16	- 0
Hgt.	Oi.	Τ/		2	0.28	0.51	0.77	1.04	1.31	1.60	1.91	2.28	2.59	2.93	0.32	0.25	0.28	C
3-	SF	+/-	1'	1	0.48	0.58	0.69	0.80	0.92	1.04	1.17	1.33	1.45	1.60	0.14	0.17	0.19	0
				2	0.61	0.83	1.09	1.35	1.62	1.91	2.22	2.59	2.89	3.23	0.32	0.28	0.31	C
	FO	+/-	1'	1	0.38	0.48	0.61	0.74	0.86	0.99	1.13	1.30	1.44	1.59	0.14	0.12	0.13	0
	FD	+/-	1'	<u>2</u> 1	0.50 0.75	0.73	1.01	1.29	1.57	1.86	2.18 1.58	2.57 1.78	2.87 1.92	3.23 2.09	0.32	0.17	0.19	0
	FD	+/-	ı	2	0.73	1.11	1.41	1.71	2.00	2.30	2.63	3.04	3.36	3.72	0.13	0.12	0.13	(
Upper	UF	Utility	12'	1	17.33	19.54	22.31	25.76	27.84	30.87	34.39	39.26	42.82	47.15	6.50	7.39	8.21	- 5
	-			2	18.60	22.15	26.44	31.49	35.19	39.91	45.27	52.36	57.71	64.10	8.42	8.45	9.39	1
		Parking Garage	10'	1	17.30	18.61	20.18		23.52	25.66	28.42	32.79	35.83	39.79	8.82	10.95	11.90	1:
				2	19.96	23.55		33.02	36.77	41.55	46.95	54.38	59.89	66.59	9.41	11.50		
	FO	Health Club ***	12'	4	18.09 49.24	21.09 51.54	24.68 53.65	29.08 56.48	32.12 59.40	36.16 62.22	40.75 66.99	47.16 73.64	51.87 78.21	57.68 83.74	8.62 7.15	10.77 5.38	11.84 5.98	1: 7
	FU	Health Club	12	1 2	50.72	54.49		62.35	65.52	71.26	77.87	86.74	93.11	100.68	9.07	5.96	6.62	8
		General Retail	12'	1	37.19	40.22	44.54	49.35	52.44	56.45	61.16	67.68	72.24	77.74	7.22	7.19	7.99	10
		Gorrora Frotan		2	38.46	42.83	48.67	55.08	59.78	65.49	72.04	80.78	87.13	94.68	9.14	7.82	8.69	10
		Mall Shops	14'	1	38.91	42.81	48.12	53.87	57.94	62.80	68.67	76.73	82.47	89.40	9.37	6.73	7.48	9
				2	40.43	45.92	53.05	60.70	66.71	73.59	81.64	92.35	100.23	109.62	11.66	7.56	8.40	1
		Department Store	14'	1	47.26	50.03	52.62	55.91	59.31	62.62	67.91	75.17	80.26	86.38	7.76	7.80	8.67	10
		Dinning/Lounge	12'	2 1	49.02 51.62	53.55 55.06	60.27	62.92 65.84	66.85 69.41	73.40 73.90	80.88 79.20	90.79	98.02 91.60	106.59 97.65	10.05 7.48	8.35 5.31	9.28 5.90	7
		Diffilling/Lourige	12	2	52.89	57.67		71.56	76.75	82.94	90.08	99.69	106.50	114.60	9.40	5.83	6.48	8
	FD	Hotel Motel	12'	1	52.24	55.70	60.94	66.54	70.13	74.64	79.96	87.38	92.42	98.48	7.49	6.28	6.98	8
		Service		2	53.51	58.31	65.08	72.27	77.48	83.68	90.84	100.48	107.31	115.43	9.41	6.77	7.52	ć
		General Office	12'	1	50.70	52.88	57.97	63.44	66.95	71.38	76.60	83.88	88.84	94.82	7.46	6.18	6.87	8
		M " 10"	4.41	2	51.39	55.49		69.16	74.29	80.42 75.48	87.48	96.98	103.73	111.76	9.37	6.70	7.44	9
		Medical Office	11'	1 2	53.78 54.93	57.10 59.46	62.25 65.98	67.72 72.89	71.15 77.78	75.48 83.65	80.62 90.45	87.84 99.68	92.69 106.15	98.54 113.85	7.25 8.99	5.87 6.30	6.52 7.00	8
		Nursing Home	10'	1	48.95	51.92		61.48	64.48	68.38	73.02	79.59	83.99	89.31	6.85	6.18	6.87	8
		rtarolling Fromo	10	2	49.98	54.03		66.10	70.41	75.68	81.80	90.17	96.01	103.00	8.39	6.60	7.33	9
		Hotel Motel Unit	10'	1	48.57	51.69		56.20	58.90	61.49	66.01	72.36	76.68	81.92	6.87	5.99	6.66	8
				2	50.80	54.08		60.94	63.61	68.79	74.79	82.94	88.70	95.60	8.41	6.40	7.11	8
		Apartment	10'	1	37.33	40.01		48.35	51.01	54.59	58.82	64.76	68.85	73.81	6.70	7.31	8.12	8
				2	38.36	42.12	47.28	52.98	56.94	61.88	67.60	75.34	80.87	87.49	8.25	7.78	8.64	9
		orice (1st floor) to acco				•								4.72				
** Adjus	st base p	rice to account for bal	conies,	per squ	are foot	of balco	ny area	a						25.12	1.0	67 2	.33	4.0
***Add	per court	racquetball												41,000)			
		squash												33,000)			
4 hhA	n hase n	rice (1st floor) to acco	unt for	elevated	l floor co	nstruct	ion							6.03	4.	76 n	.60	1.8
	P	()													•••	- 0		•

¹ These rates represent an amount of increased cost to elevate a floor over and above what is included in the model for a floor. For instance, most if not all of our first floor models, have included a concrete floor. These costs represent the increased cost to suspend (based on the framing types) a floor higher than the existing floor. An example of this type of entity would be a raised area in a department store, where a set of 3 or 4 steps is required to raise the customer onto a more specialized or exclusively priced area of the store. The raising of a floor over and above what is included in the models could occur in any of the GCM first floor models. These rates are only applicable to the area that is raised within a structure. If less than 100% of the structure or building section includes this feature, then the appropriate rate is multiplied by the percentage of the building or section that has this feature to determine the applicable adjustment.

SCHEDULE A.2 GCI Base Prices

									Fir	2 e Resis	tant					1 Wood	3 Rein	F
loor	Fin	Use	Flr	Wall						C I ICSIS	ιαπ					Jst	Conc	
evel	Type	Type	Hgt	Type	1	2	3	4	5	6	7	8	9	10	+1	(-)	(+)	(
smt	UF	Light Utility/Storage	9'	1	18.92	20.83	22.34	24.47	25.59	27.68	28.39	31.88	34.28	37.32	6.36	6.46	7.07	8
				2	19.91		25.55	28.92	31.30	34.70	36.84	42.05	45.84	50.48	7.85	6.46	7.07	8
		Heavy Utility/Storage	9'	1	23.49	25.56	27.39	29.79	31.12	33.39	34.34	38.16	40.75	44.01	6.49	6.55	6.82	8
				2	24.48	27.59		34.24	36.82	40.41	42.78	48.33	52.31	57.17		6.55	6.82	8
	SF	Light Manufacturing	9'	1	27.97	30.15		34.86	36.32	38.72	39.83	43.89	46.61	50.02	6.40	6.46	7.07	8
				2	28.96	32.18		39.31	42.02	45.74	48.27	54.06	58.17	63.18	7.90	6.46	7.07	3
		Heavy Manufacturing	9'	1	34.94	37.38		43.01	44.77	47.48	48.94	53.52	56.53	60.29	6.61	6.55	6.82	3
				2	35.93		43.17	47.46	50.47	54.50	57.39	63.69	68.10	73.45	8.10	6.55	6.82	3
	FO	Truck Terminal	9'	1	29.74	32.14	34.52	37.43	39.15	41.83	43.24	47.68	50.68	54.42	6.57	6.46	7.07	3
		Bunk Room	4.41	2	30.73	34.17		41.88	44.86	48.85	51.68	57.86	62.25	67.58	8.06	6.46	7.07	- 1
irst	UF	Light Utility/Storage	14'	1	22.66	26.86	32.13	37.56	42.45	47.71	53.54	61.10	66.76	73.51	6.89	10.26	11.81	
				2	24.00	29.59 25.73		43.56 35.09	50.14 39.32	57.18	64.93	74.82 55.42	82.35 60.27	91.25	8.90	10.26	11.81	
		Lie en a Little /Otene	1.41	3	22.11	31.59	37.17	42.89	47.97	43.86 53.43	48.88 59.49	67.38	73.23	66.07 80.20	7.03	10.26	11.81 11.52	
		Heavy Utility/Storage	14'	1	28.56		41.50	48.89	55.66	62.89	70.88	81.09	88.82	97.95	9.03	10.31	11.52	
				2 3	26.68	30.45		40.41	44.84	49.57	54.83	61.70	66.74	72.77	6.13	10.31	11.52	
		Light Warehouse	18'	1	25.89	30.70	36.75	42.97	48.60	54.63	61.31	69.92	76.39	84.07	7.73	11.30	13.03	
		Light warehouse	10	2	27.72	34.44		51.17	59.12	67.58	76.89	88.69	97.72	108.34		11.30	13.03	
				3	25.19		34.48	39.82	44.60	49.71	55.36	62.70	68.14	74.64		11.30	13.03	
		Mini Warehouse	12'	1	14.94	18.43		27.15	31.18	35.57	40.42	46.70	51.46		5.78	9.30	10.93	
		Willi Waleriouse	12	2	16.03		26.22	32.04	37.46	43.29	49.71	57.90	64.18		7.42	9.30	10.93	
				3	14.47	17.46		25.01	28.48	32.24	36.40	41.80	45.85	50.73	5.00	9.30	10.93	
		Commercial	14'	1	29.81	34.18		45.63	50.73	56.19	62.28	70.21	76.06	83.04	6.98	10.26	11.81	
		Garage	17	2	31.14	36.91		51.63	58.42	65.66	73.67	83.93	91.66	100.79		10.26	11.81	
		Garage		3	29.26		38.08	43.16	47.60	52.34	57.61	64.54	69.58	75.61	6.09	10.26	11.81	
		Hanger	20'	1	32.00	37.23	43.92	50.74	56.87	63.42	70.68	80.06	87.05	95.34	8.20	11.81	13.63	
		rianger	20	2	34.07	41.47		60.05	68.81	78.11		101.35	111.26	122.88		11.81	13.63	
				3	31.22	35.63		47.25	52.45	57.96	64.09	72.06	77.93		6.98	11.81	13.63	
		Truck Terminal	14'	1	25.55	30.19		41.06	45.94	51.43	57.63	64.80	70.64	77.65	7.10	10.26	11.81	
		Warehouse		2	26.88	32.92		47.06	53.63	60.90	69.02	78.52	86.24	95.40	9.11	10.26	11.81	
		Taronouoo		3	24.99		33.78	38.58	42.81	47.58	52.96	59.12	64.16	70.22	6.21	10.26	11.81	
	SF	Loft Warehouse	14'	1	20.51	24.74	29.98	35.41	40.34	45.65	51.52	59.10	64.81	71.62	6.99	10.26	11.81	
	٥.	2011 11 41 011 040 0		2	21.84	27.47	34.31	41.41	48.03	55.11	62.91	72.81	80.41	89.37	9.00	10.26	11.81	1
		Light Manufacturing	14'	1	32.33	36.84	42.76	48.76	54.03	59.67	65.96	74.17	80.20	87.39	6.99	10.26	11.81	1
		g		2	33.66	39.58	47.09	54.75	61.72	69.14	77.35	87.89	95.80	105.13	9.00	10.26	11.81	1
				3	31.78	35.71	40.98	46.28	50.90	55.81	61.29	68.49	73.72	79.96	6.10	10.26	11.81	1
		Heavy Manufacturing	14'	1	34.10	38.95	45.29	51.71	57.38	63.43	70.18	78.96	85.43	93.11	7.43	10.31	11.52	1
		,		2	35.44	41.68	49.62	57.70	65.07	72.90	81.57	92.68	101.03	110.86	9.44	10.31	11.52	1
				3	33.55	37.82	43.51	49.23	54.25	59.58	65.52	73.28	78.94	85.68	6.54	10.31	11.52	1
		Loft Manufacturing	12'	1	25.92	30.00	35.24	40.60	45.35	50.46	56.13	63.54	69.03	75.58	6.64	9.75	11.21	1
				2	27.01	32.23	38.77	45.50		58.18		74.74	81.75	90.06		9.75	11.21	_1
		Mill Manufacturing	40'	1	66.80	76.12	82.72				117.44			160.43			19.02	2
		-		2	73.68		97.25						203.42				19.02	
				3	65.14		75.45	80.10	85.19				130.03	142.19			19.02	
		Small Shop	14'	1	27.40	31.80		43.20	48.32	53.83	59.94	67.89	73.79	80.82		10.26	11.81	
				2	28.74	34.53		49.19	56.01	63.29	71.33	81.61	89.39	98.57		10.26	11.81	
				3	26.85		35.66	40.72	45.19	49.97	55.28	62.21	67.31	73.39		10.26	11.81	
		Power Generating	30'	1	72.18		83.92				112.82			146.57		12.61	13.31	
		Plant		2		91.69					140.14			195.55			13.31	
	FO	Truck Terminal	9'	1	27.75	31.43		41.22	45.47	50.07	55.21	61.99	66.94		5.76	8.98	10.30	
		Bunk Room		2	29.27			48.05	54.25	60.87	68.20	77.63	84.71	93.08		8.98	10.30	
			,	3		31.07		40.41	44.45	48.81	53.69	60.16	64.84	70.48		8.98	10.30	
	FD	Industrial Office	12'	1	50.74		62.73	69.62	75.46	81.65	88.62	97.86	104.42	112.23	-	9.75	11.21	
				2	51.83		66.26		81.74	89.38			117.15	126.71		9.75	11.21	
			,	3	50.26		61.19	67.49	72.77	78.33	84.60	92.96	98.81	105.79		9.75	11.21	
		Research/Devel.	12'	1	61.77		70.74	73.83	79.78	86.07		102.61	109.27	117.19		9.75	11.21	
				2	62.48	68.61		78.72	86.05	93.79			122.00	131.67		9.75	11.21	
																		- 1
ock			+1'	3 1	55.30 0.56	59.96 0.72	0.91	71.69	77.08 1.29	82.75 1.49	89.15 1.71	97.71 1.98	103.66 2.19	110.76 2.42	0.40	9.75	11.21	_ '

GCI Base Prices (continued)

										_2						1	3	4
- 1	- :	Use	г	VA7 - 11					Fil	re Resi	stant					Wood	Rein	FP
Floor	Fin	Use	Flr	Wall	4	0	0	4	_	•	7		0	10	. 4	Jst	Conc	Steel
Level	Type	Туре	Hgt 1'	Type	0.19	2 0.28	3 0.40	4 0.52	5 0.63	6 0.76	7 0.89	8 1.06	9 1.19	10 1.34	+1 0.14	(-) 0.24	(+) 0.28	(+) 0.31
Wall	UF	+/-	1.	1 2	0.19	0.26	0.40	1.07	1.34	1.63	1.94	2.32	2.62	2.97	0.14	0.24	0.28	0.31
Hgt.				3	0.15	0.34	0.28	0.35	0.42	0.49	0.57	0.67	0.75	0.84	0.08	0.24	0.20	0.33
Adj	SF	+/-	1'	1	0.18	0.38	0.50	0.62	0.74	0.43	1.00	1.17	1.31	1.46	0.14	0.25	0.29	0.32
	Si	+/-		2	0.40	0.63	0.90	1.17	1.45	1.74	2.05	2.44	2.74	3.09	0.32	0.25	0.29	0.32
				3	0.24	0.30	0.38	0.45	0.52	0.60	0.68	0.79	0.87	0.96	0.08	0.28	0.33	0.35
	FO	+/-	1'	1	0.28	0.38	0.50	0.62	0.74	0.87	1.00	1.17	1.31	1.46	0.14	0.25	0.29	0.31
	. 0	17	•	2	0.40	0.63	0.90	1.17	1.45	1.74	2.05	2.44	2.74	3.09	0.32	0.25	0.29	0.31
				3	0.24	0.30	0.38	0.45	0.52	0.60	0.68	0.79	0.87	0.96	0.08	0.27	0.32	0.32
	FD	+/-	1'	1	0.69	0.79	0.94	1.08	1.21	1.35	1.50	1.69	1.84	2.00	0.15	0.25	0.29	0.31
				2	0.81	1.05	1.34	1.63	1.92	2.22	2.55	2.95	3.27	3.63	0.33	0.25	0.29	0.31
				3	0.65	0.72	0.82	0.91	1.00	1.08	1.18	1.31	1.40	1.50	0.09	0.27	0.32	0.32
Upper	UF	Light Utility/Storage	12'	1	18.32	21.13	23.66	26.86	29.07	32.38	34.35	39.24	42.79	47.15	7.11	7.16	7.89	9.37
				2	19.70	23.97	28.16	33.08					58.98	65.57	9.19	7.16	7.89	9.37
		Heavy Utility/Storage	12'	1	20.14	23.51	-	30.61			-		50.40	55.62	7.89	7.30	7.69	9.91
				2			31.21						66.59	74.04	9.97	7.30	7.69	9.91
	SF	Loft Warehouse	12'	1	21.02		26.74		32.53			43.33	47.05	51.61	7.25	8.58	9.62	11.05
				2	22.41		31.23						63.24	70.03	9.33	8.58	9.62	11.05
		Light Manufacturing	12'	1	25.74		31.84						53.19	57.90	7.16	7.16	7.89	9.37
				2			36.34						69.38	76.32	9.24	7.16	7.89	9.37
		Heavy Manufacturing	12'	1			34.90						60.80	66.37	7.94	7.30	7.69	9.91
				2			39.40						76.99	84.78	10.02	7.30	7.69	9.91
		Loft Manufacturing	12'	1			28.96						49.73	54.35	7.28	7.16	7.89	9.37
				2			33.46						65.92	72.77	9.36	7.16	7.89	9.37
		Small Shop	12'	1			29.91						50.96	55.63	7.30	7.16	7.89	9.37
			*	2			34.41		43.94				67.15	74.05	9.39	7.16	7.89	9.37
		Power Generating Plant	*	0	36.55	39.27	42.26						61.13	65.25	6.30	1.41	0.62	2.78
	FO	Truck Terminal	9'	1		31.88			40.74	-			55.18	59.65	6.76	6.40	6.98	8.43
		Bunk Room		2			38.15						67.06	73.17	8.29	6.40	6.98	8.43
	FD	Industrial Office	12'	1		51.81			65.03				85.13	91.00	7.77	7.16	7.89	9.37
				2			60.94						101.31	109.42	9.85	7.16	7.89	9.37
		Research/Devel.	12'	1	55.45				73.79		82.41		94.97	101.09	7.86	7.16	7.89	9.37
				2	56.84	62.39	69.12	76.25	81.77	88.43	94.24	104.15	111.16	119.51	9.94	7.16	7.89	9.37

^{*} Upper floor price exclusive of walls.

SCHEDULE A.3 GCR Base Prices

									-	1					-	2
									٧	Vood J	oist					Fire
Floor	Fin	Use	Flr	Wall												Res
Level	Type	Туре	Hgt	Type	1	2	3	4	5	6	7	8	9	10	+1	(+)
Bsmt	UF	Utility/Storage	9'	1	13.42	14.31	15.53	16.96	17.92	19.20	20.94	23.77	25.70	28.15	4.93	7.38
				2	14.07		17.64	19.87	21.66		26.48		33.29	36.78	5.91	9.07
	FO	Dinning/Lounge	9'	1	45.35	47.23	50.51	53.69	55.83		61.41	66.30	69.36	73.13	5.62	8.38
				2	46.00	48.56		56.61	59.57		66.96	72.97	76.95	81.76	6.59	9.77
		Motel Service	9'	1	40.67	42.44		48.40	50.40	-	55.69	60.33	63.26	66.88	5.56	8.38
				2	41.32	43.77	47.55	51.32	54.15			67.00	70.85	75.52	6.54	9.77
	FD	General Office	9'	1	42.50	44.31	47.42		-	54.88		62.66	65.64	69.32	5.58	7.34
				2	43.15	45.64	49.53	53.38	56.26	59.49	63.47	69.33	73.23	77.96	6.56	8.74
		Apartment	9'	1	31.32	32.86	35.32			41.62		48.39	51.08	54.40	5.54	8.04
				2	31.97	34.19	37.43	40.76	43.31	46.22	49.81	55.07	58.67	63.04	6.52	8.77
First	FO	Motel Service	12'	1	44.84	48.97	54.81	60.30	65.01	69.70		82.45	87.48	93.10	5.16	
				2	46.62	52.76	60.70	68.13	74.84	81.64	89.31	99.50	106.82	115.17	5.89	
		Dinning/Lounge	12'	1	48.98	53.21	59.29	64.98	69.81	74.61	80.19	87.73	92.88	98.63	5.21	
				2	50.76	57.00	65.18	72.81	79.64	86.56	94.37	104.79	112.21	120.69	5.94	
	FD	Bank	10'	1	54.51	57.94	61.27	64.43	67.57	72.32	77.83	85.27	90.36	96.05	5.19	
				2	56.38	61.85	66.99	71.69	76.45	83.09	90.59	100.62	107.76	115.91	5.67	
		General Office	10'	1	45.89	49.89	55.63	61.00	65.55	70.09	75.35	82.48	87.35	92.77	4.96	
				2	47.50	53.34	60.98	68.08	74.43	80.85	88.11	97.83	104.74	112.62	5.44	
		Medical Office	10'	1	57.50	60.76	63.92	66.91	69.89	74.53	79.93	87.26	92.22	97.77	5.00	
				2	59.37	64.67	69.65	74.18	78.77	85.30	92.69	102.61	109.61	117.62	5.48	

SCHEDULE A.3 (continued) GCR Base Prices (continued)

											1 Wood Joist				
Floor Level	Fin Type	Use Type	Flr Hgt	Wall Type	1	2	3	4	5	6	7	8	9	10	+1
First	FD	Motel Units	9'	1 2	42.74 43.63	45.92 47.77	48.99 51.71	50.59 53.95	54.80 59.00	58.99 64.07	63.83 69.86	70.35 77.60	74.88 83.09	79.90 89.28	4.74 4.92
		Funeral Home	12'	1 2	49.39 51.17	53.63 57.42	59.74 65.62	65.44 73.27	70.28 80.11	75.10 87.04	80.69 94.87	88.25 105.31	93.41 112.74	99.17 121.24	5.21 5.95
		Nursing Home	10'	1 2	51.97 53.85	55.24 59.14	58.40 64.12	61.39 68.65	64.37 73.24	68.87 79.64	74.10 86.86	81.17 96.52	86.01 103.40	91.40 111.26	4.95 5.43
		Apartment	9'	1 2	33.84 34.61	37.48 39.12	42.45 44.99	47.15 50.51	51.27 55.47	55.37 60.46	60.11 66.14	66.47 73.72	70.91 79.12	75.84 85.22	4.70 4.88
Upper	FO	Motel Service	12'	1 2	39.58 40.48	41.80 43.60	45.27 48.14	48.74 52.67	51.25 56.31	54.20 60.61	57.76 65.48	62.88 72.18	66.27 76.86	70.42 82.91	5.76 6.33
		Dinning/Lounge	12'	1 2	42.89 43.79	45.19 46.99	48.85 51.72	52.48 56.41	55.08 60.14	58.13 64.54	61.80 69.52	67.10 76.40	70.58 81.17	74.83 87.33	5.75 6.31
	FD	Motel Units	9'	1 2	34.84 35.49	36.72 38.01	39.67 41.73	42.66 45.47	44.76 48.38	47.30 51.94	50.38 55.98	54.88 61.62	57.85 65.52	61.50 70.68	5.33 5.52
		Apartment	9'	1 2	27.75 28.40	29.46 30.75	32.01 34.06	34.66 37.47	36.55 40.17	38.89 43.53	41.72 47.32	45.84 52.58	48.62 56.29	52.05 61.22	5.24 5.43
		Nursing Home	10'	1 2	44.44 45.29	46.17 47.32	47.71 49.70	49.08 51.83	51.21 53.74	53.30 57.62	55.71 62.02	60.55 68.14	63.72 72.36	67.61 77.89	5.48 5.80

SCHEDULE A.4 GCK Base Rates

Light pre-engineered steel and pole framed buildings (used for C/I occupancies)

Per square foot, average quality, 12' eaves height

					Perimeter/.	Area Rati	0				
	1	2	3	4	5	6	7	8	9	10	+1
Light metal/wood siding, pole frame	9.56	10.27	10.98	11.69	12.40	13.11	13.82	14.53	15.24	15.95	1.22
Add per P/A ratio:											
Exterior sheathing	0.17	0.29	0.44	0.49	0.64	0.77	0.92	1.05	1.23	1.29	0.10
Insulation	0.11	0.18	0.27	0.31	0.40	0.48	0.57	0.65	0.76	0.80	0.07
Steel girts and purlins	0.60	0.66	0.72	0.78	0.84	0.90	0.96	1.02	1.08	1.14	0.12
Aluminum siding and roofing	2.31	2.52	2.77	2.86	3.12	3.34	3.62	3.84	4.15	4.26	0.18
Interior liner (1)	0.36	0.61	0.92	1.03	1.34	1.60	1.93	2.19	2.56	2.68	0.22
Heavy gauge siding and roofing (2)	0.63	0.69	0.76	0.79	0.86	0.92	1.00	1.06	1.14	1.17	0.05
Plastic panel siding	0.29	0.49	0.73	0.81	1.06	1.26	1.52	1.73	2.03	2.12	0.18
Sandwich paneling	6.77	7.38	8.14	8.41	9.17	9.82	10.62	11.28	12.19	12.49	0.55
nterior finish (3)											
Unfinished occupancies (UF)	4.79	4.79	4.79	4.79	4.79	4.79	4.79	4.79	4.79	4.79	
Semi-finished occupancies (SF)	12.85	12.85	12.85	12.85	12.85	12.85	12.85	12.85	12.85	12.85	
Finished open occupancies (FO)	19.29	19.72	20.14	20.56	20.98	21.41	21.84	22.29	22.68	23.10	0.50
Finished divided occupancies (FD)	30.39	30.82	31.24	31.66	32.08	32.51	32.94	33.39	33.78	34.20	0.50
Add per square foot of floor area for frame variations:											
Steel post and beam	0.35	0.35	0.35	0.35	0.35	0.35	0.35	0.35	0.35	0.35	
Rigid steel frame construction	-0.33	-0.29	-0.25	-0.21	-0.18	-0.14	-0.10	-0.06	-0.02	0.02	
Deduct per square foot of floor area for absence:											
Concrete floor	3.14	3.22	3.46	3.70	3.79	3.90	4.06	4.10	4.14	4.18	

Add or deduct 2% (against the total rate) per foot of wall height variation.

Deduct 2% (against the total rate) for low profile (1:12 or less pitch) roof construction.

Adjust for quality grade from Schedule F.

Note (1) Liner is included with manufactured sandwich paneling

Note (2) 24 to 20 gauge steel; .032" to .050" thick aluminum.

	Walls/						Add	
Note (3) Interior Components:	LF	Flooring	Ceiling	Ptns&OF	Lighting	Heating	A/C	Sprk
Unfinished occupancies (UF)				0.71	2.70	1.38	3.58	6
Semi-finished occupancies (SF)		1.62	0.24	1.43	6.91	2.65	2.89	6
Finished open occupancies (FO)	42.47	2.36	4.26	1.90	6.30	4.05	2.89	4
Finished divided occupancies (FD)	42.47	2.88	4.26	5.24	9.91	7.68	2.89	3

SCHEDULE B

GC Base Price Adjustment for Story Height

(BPA)

		Story Height															
	В	1-3	4	5-7	8-9	10-11	12-13	14-15	16-18	19-20	21-22	23-24	25-26	27-28	29-30	31-32	33- 34
BPA Factor	*NA	100	101	102	103	104	105	106	107	108	109	110	111	112	113	114	115

^{*}Basements and sub-basements are not included in the count of the story height, but the percentage multiplier is applicable to the base rates.

SCHEDULE C

GC Base Price Components and Adjustments

		00 00	pononto una Aujuotinonto		In	terior Fini	ish			Htg		Add			
	Floor	Fin	Use		Walls	Floors	Ceil			Vent	Htg	for	Ad	just	Spk
ID	Level	Type	Type	CH	Per LF		Per SF	Ptns	Ltg	A.C.	Only	A.C.		nting	**
GCM	Sub	UF	Parking					0.31	2.16	1.49			0.35	0.80	6
	Bsmt		9												
-	Bsmt	UF	Utility/Storage					0.71	1.62		0.99	3.58	0.38	0.63	6
			Stand Alone Basement					0.71	1.62		0.99	3.58	0.38	0.63	6
			Parking Garage					0.31	2.16	1.49			0.28	0.64	4
		FO	General Retail	10'	39.67	2.00	3.22	2.47	9.41	9.53	5.24		1.85	3.99	4
			Dinning/Lounge	8'	33.06	4.58	3.22	3.14	9.41	20.95	11.52		1.32	2.70	4
		FD	Office	8'	33.06	2.36	3.22	6.82	11.82	13.96	7.68		1.79	3.72	3
			Apartment	8'	33.06	2.71	4.05	9.06	5.99		3.85	2.19	1.82	3.78	2
-	First	UF	Utility/Storage					1.11	1.62		0.99	3.58	0.38	0.63	6
			Parking Garage					0.40	2.16	0.74			0.28	0.64	4
		SF	Car Wash Auto		8.21			3.81	5.40		0.99		0.81	1.83	6
			Ice Rink		12.31	1.80	1.29	5.71	11.36		2.30		0.83	1.85	4
			Auto Service Center		9.58	1.70	0.71	5.21	8.79		0.99	3.58	2.32	4.80	5
		FO	Auto Showroom	12'	50.96	2.36	3.22	3.21	9.41	9.53	5.24		1.60	3.30	4
			Bowling Alley	12'	38.22	0.62	3.22	2.64	11.36	11.84	6.52		1.12	2.35	4
			Theater	18'	76.44	3.39	3.22	9.43	11.36	14.00	7.70		1.01	2.11	1
			Health Club	10'	25.48	2.61	1.93	3.74	11.36	11.84	6.52		1.65	3.54	4
			General Retail	12'	43.31	2.00	2.05	2.85	8.47	9.53	5.24		1.85	3.99	4
			Discount	12'	40.76	1.96	2.57	2.85	8.16	8.77	4.83		2.38	4.94	4
			Regional Shopping Center	12'	42.68	3.20	2.57	2.85	8.16	9.53	5.24		1.40	2.91	4
			Neighborhood Shopping Ctr	12'	42.68	1.96	2.57	2.99	8.16	9.53	5.24		1.68	3.49	4
			Department Store	14'	49.75	2.59	2.57	4.85	8.16	11.21	6.17		0.90	1.86	4
			Supermarket	12'	42.68	1.42	2.57	4.28	9.14	11.84	6.52		1.64	3.50	4
			Convenience Market	10'	39.04	2.12	2.90	3.71	8.79	11.90	6.55		1.57	3.26	4
			Dinning/Lounge	10'	42.47	4.58	3.22	3.71	9.41	20.95	11.52		1.32	2.70	4
		FD	Hotel/Motel Service	10'	42.47	4.58	3.22	11.42	9.41	13.96	7.68		1.29	2.67	2
			Bank	12'	50.96	3.20	3.22	8.56	9.41	15.91	8.75		1.04	2.14	3
			General Office	10'	42.47	2.99	3.22	7.42	11.82	13.96	7.68		2.70	5.84	3
			Medical Office	10'	42.47	2.99	3.22	11.12	13.00	15.17	8.35		2.16	4.66	3
			Country Club	10'	33.06	7.35	4.05	7.42	9.41	20.95	11.52		1.51	3.12	3
			Funeral Home	10'	33.06	2.65	3.22	7.42	9.41	20.25	11.15		2.32	4.80	3
			Nursing Home	8'	26.45	3.00	4.54	8.39	9.41	14.10	7.75		2.38	4.91	3
			Hotel/Motel Unit	8'	33.97	3.00	4.54	10.80	9.41	4.51	3.85		1.32	2.74	2
-			Apartment Units	8'	26.45	3.03	4.05	9.07	5.99		3.85	2.19	1.82	3.78	2
	Upper	UF	Utility/Storage					0.95	1.62		0.99	3.58	0.38	0.63	6
			Parking Garage					0.40	2.16	0.74			0.28	0.64	4
		FO	Health Club	10'	25.48	2.61	1.93	3.74	11.36	11.84	6.52		1.65	3.54	4
			General Retail	10'	36.10	2.00	2.05	2.48	8.47	9.53	5.24		1.85	3.99	4
			Department Store	14'	42.96	2.59	2.57	4.28	8.16	11.21	6.17		0.90	1.86	4
			Mall Shops	12'	42.68	3.07	2.57	2.85	8.16	9.53	5.24		1.40	2.91	4
			Dinning/Lounge	10'	42.47	4.58	3.22	3.71	9.41	20.95	11.52		1.32	2.70	4
		FD	Hotel/Motel Service	10'	42.47	4.58	3.22	11.42	9.41	13.96	7.68		1.29	2.67	2
			General Office	10'	42.47	2.99	3.22	7.42	11.82	13.96	7.68		2.70	5.84	3
			Medical Office	9'	38.22	2.99	3.22	10.28	13.00	15.17	8.35		2.16	4.66	3
			Nursing Home	8'	26.45	3.00	4.54	8.39	9.41	14.10	7.75		2.38	4.91	3
			Hotel/Motel Unit	8'	33.97	3.00	4.54	10.80	9.41	4.51	3.85		1.32	2.74	2
			Apartment Units	8'	26.45	3.03	4.05	9.07	5.99		3.85	2.19	1.82	3.78	2

GC Base Price Components and Adjustments (continued)

						terior Fini	sh			Htg		Add			
	Floor	Fin	Use		Walls	Floors	Ceil			Vent	Htg	for	Ad	just	Spk
ID	Level	Type	Type	CH	Per LF	Per SF	Per SF	Ptns	Ltg	A.C.	Only	A.C.	Ligh	nting	**
GCI	Bsmt	ÚF	Light Utility/Storage					0.71	2.70		1.31	3.58	0.14	0.41	6
			Heavy Utility/Storage					0.71	2.70		1.31	3.58	0.14	0.41	6
		SF	Light Manufacturing		6.16	1.62		1.76	8.79	5.82	2.65	2.19	0.55	1.37	5
			Heavy Manufacturing		6.16	1.62		1.76	8.79	5.82	2.65	2.19	0.55	1.37	5
		FO	Truck Terminal Bunk Room	8'	29.07	2.36	4.05	1.96	5.99		2.65	2.19	0.41	0.90	5
	First	UF	Light Utility/Storage					1.11	2.70		1.31	3.58	0.14	0.41	6
			Heavy Utility/Storage					1.11	2.70		1.31	3.58	0.14	0.41	6
			Light Warehouse					1.15	5.40		1.31	3.58	0.35	0.87	6
			Mini Warehouse					5.02	1.08			**	0.10	0.15	5
			Commercial Garage			1.62		1.27	8.79	5.82	1.31	3.58	0.56	1.26	5
			Hanger			1.62		1.82	8.79	5.82	1.31	3.58	0.52	1.29	6
			Truck Terminal Warehouse			0.24		1.09	5.40		1.31	3.58	0.41	0.81	5
		SF	Loft Warehouse		9.58			1.52	4.31		1.31	3.58	0.31	0.62	6
			Light Manufacturing		9.58	1.62		3.03	8.79	5.82	2.65	2.19	0.55	1.37	5
			Heavy Manufacturing		9.58	1.62		3.03	8.79	5.82	2.65	2.19	0.55	1.37	5
			Loft Manufacturing		8.21			2.61	5.40	5.82	1.31	3.58	0.36	0.79	5
			Mill Manufacturing		27.36	2.44		8.66	8.79	7.75	5.30	4.37	0.63	1.30	5
			Small Shop		9.58	1.70	0.24	1.80	5.40		1.31	3.58	0.44	0.88	6
			Power Generating Plant		20.52	6.68	0.71	3.97	8.79		5.30	4.37	0.63	1.30	5
		FO	Truck Terminal Bunk Room	8'	25.84	2.36	4.05	1.96	5.99		2.65	2.19	0.41	0.90	6
		FD	Industrial Office	10'	42.47	2.88	3.22	7.63	11.82	12.19	7.68		0.87	1.74	3
			Research/Development	10'	42.47	3.71	3.22	11.12	11.82	12.19	7.68		0.82	1.79	3
	Upper	UF	Light Utility/Storage					0.95	1.62		1.31	3.58	0.08	0.24	6
			Heavy Utility/Storage					0.95	1.62		1.31	3.58	0.08	0.24	6
		SF	Loft Warehouse		8.21			1.30	4.31		1.31	3.58	0.31	0.62	6
			Light Manufacturing		8.21	1.62		2.60	5.40	5.82	2.65	2.19	0.34	0.84	5
			Heavy Manufacturing		8.21	1.62		2.60	5.40	5.82	2.65	2.19	0.34	0.84	5
			Loft Manufacturing		8.21			2.61	5.40	5.82	1.31	3.58	0.36	0.79	5
			Small Shop		8.21	1.70	0.24	1.57	5.40		1.31	3.58	0.44	0.88	5
			Power Generating Plant	*		6.68	0.71	2.60	8.79		5.30	4.37	0.63	1.30	5
		FO	Truck Terminal Bunk Room	8'	25.84	2.36	4.05	1.96	5.99		2.65	2.19	0.41	0.90	5
		FD	Industrial Office	10'	42.47	2.88	3.22	7.63	11.82	12.19	7.68		0.87	1.74	3
			Research/Development	10'	42.47	3.71	3.22	11.12	11.82	12.19	7.68		0.82	1.79	3
GCR	Bsmt	UF	Utility/Storage					0.71	1.62		0.99		0.13	0.19	6
		FO	Dinning/Lounge	8'	22.95	3.58	2.49	2.66	9.41	20.95	11.52		1.50	2.19	4
			Motel Service	8'	22.95	2.76	4.54	3.99	9.41	13.96	7.68		1.00	1.46	2
		FD	General Office	8'	22.95	2.76	2.49	5.77	11.82	13.96	7.68		1.00	1.46	3
			Apartment Units	8'	22.95	2.29	4.05	7.67	5.99		3.85	2.19	0.50	0.73	2
	First	FO	Motel Service	10'	26.13	2.76	3.22	4.82	11.82	13.96	7.68		1.00	1.46	2
			Dinning/Lounge	10'	26.13	3.58	3.22	3.21	9.41	20.95	11.52		1.50	2.19	4
		FD	Bank	10'	26.13	2.76	3.22	5.42	11.82	15.91	8.75		1.14	1.66	3
			General Office	10'	26.13	2.76	3.22	5.88	11.82	13.96	7.68		1.00	1.46	3
			Medical Office	10'	26.13	2.76	3.22	8.14	13.00	15.17	8.35		1.09	1.59	3
			Motel Units	8'	20.90	2.54	4.05	7.10	9.41	4.51	3.85		0.50	0.73	2
			Funeral Home	10'	26.13	2.54	3.22	6.42	9.41	20.25			1.45	2.12	2
			Nursing Home	8'	20.90	2.79	3.22	7.24	9.41	14.10			1.01	1.47	2
			Apartment Units	8'	20.90	2.54	4.05	7.67	5.99		3.85	2.19	0.50	0.73	2
	Upper	FO	Motel Service	10'	26.13	2.76	3.22	4.82	11.82	13.96	7.68		1.00	1.46	2
			Dinning/Lounge	10'	26.13	3.58	3.22	3.21	9.41	20.95	11.52		1.50	2.19	4
		FD	Motel Units	8'	20.90	2.54	4.05	7.10	9.41	4.51	3.85		0.50	0.73	2
			Apartment Units	8'	20.90	2.54	4.05	7.67	5.99		3.85	2.19	0.50	0.73	2
			Nursing Home	8'	20.90	2.79	3.22	7.24	9.41	14.10			1.01	1.47	2
* 1 1	or floor pric		us of walls												

^{*} Upper floor price exclusive of walls

** Add for unit heat in mini warehouse at \$1.38 per square foot Sprinkler Total S.F. of Gross Coverage Per Floor 5,000 10,000 15,000 20,000 Group 30,000 40,000 50,000 75,000 100,000 Over 5.05 4.05 3.20 3.05 2.85 2.70 2.60 2.40 2.35 2.30 5.00 3.95 3.10 2.95 2.80 2.65 2.50 2.35 2.30 2.20 3 4.90 3.90 3.05 2.90 2.75 2.60 2.45 2.30 2.25 2.15 4.60 2.50 3.70 2.90 2.75 2.60 2.35 2.25 2.15 2.10 5 4.40 3.50 2.75 2.70 2.50 2.40 2.30 2.15 2.10 2.05 2.10 2.00 1.90 3.40 2.80 2.20 1.85 1.70 1.65 1.60

Commercial and Industrial Cost Schedules

SCHEDULE C (continued) Unit Cost Adjustments

WALL FINISH Per square foot of wall surface		CEILING FINISH Per square foot				
Paint on maconny	0.72	Acoustical tile		3.22		
Paint on masonry Plaster on masonry, painted	2.59	Mineral fiber		3.22		
Drywall, painted	1.86	Organic fiber		1.74		
			do			
Lath & plaster, painted	3.14			4.68		
Hardboard paneling	0.04	Drywall, taped and painted 2.28				
Patterned	2.21	Fiberboard panel		1.50		
Plain	1.69	Luminous panels		7.00		
Plywood paneling		Paint only, on under floor/roof	structure	0.56		
Softwood	1.93	Plaster on lath, painted		3.14		
Hardwood	3.40	Plaster on masonry, painted		2.59		
Wood Paneling		Plywood paneling, hardwood		3.40		
Softwood	3.50	Wood tongue and groove, soft	wood	4.41		
Hardwood	6.25	Add for furring, wood		0.85		
Tile or block glazing	8.87	Add for furring, metal		1.35		
3 0		Add for ceiling structure		1.55		
Ceramic or quarry tile	10.55	Add for ceiling insulation		0.62		
Enameled metal tile	6.25	Add for ceiling suspension	evetem	1.33		
Plastic tile	3.39	Add for celling suspension	System	1.00		
		DARTITIONING				
Acoustical tile	1.50	PARTITIONING				
Marble	17.00	Per square of wall surface				
Add for canvas or cloth	2.98	Framed, 3-1/2" metal studs			1- Side	2 - Side
Add for custom grade wallpaper	2.86	Drywall, painted			3.51	5.41
Add for standard grade wallpaper	1.29	Lath and plaster, painted			5.33	9.10
Add for furring, wood	0.79	Metal lath and plaster, pair	ntod		5.52	9.48
Add for furring, wood Add for furring, metal	1.51	Plywood paneling:		5.52	9.40	
				4.10	6.60	
Add for vinyl wall covering	1.93	Softwood		4.12	6.68	
Add insulation for masonry walls	1.19	Hardwood			5.59	9.62
Add insulation for studded walls	0.62	Wood paneling:				
		Softwood			5.69	9.82
FLOOR FINISH		Hardwood			10.37	17.35
Per square foot		Deduct for 2 X 4 wood studs			0.34	0.34
Softwood	5.67	Masonry, per thickness	4"	6"	8"	12"
		Masoniy, per trickness	4	0	0	12
Hard wood	9.32					
Maple	8.21	Concrete block				
Parquet	14.49	Hollow exposed	6.32	7.28	8.71	11.60
Add for sleepers	1.69	Solid	6.60	7.78		
Parquet and mastic	5.42	Clay tile	7.32	8.46	9.86	
Woodblock, creosoted	5.75	Gypsum block	5.30	6.00		
Steel plate tile, heavy duty industrial	10.50	Glazed tile				
Concrete topping, integral, plain, 1 1/2 to 2"	1.12	1 face	9.27	11.83	13.51	16.01
Concrete hardener and sealer	1.63	2 face	14.37	18.34	20.94	
Acid proof brick, heavy duty industrial	30.90	Glazed block	_			
Asphalt tile	2.05	1 face	18.49	18.57	19.70	
Vinyl tile	2.48	2 face	25.99	27.42	28.14	
Cork and rubber tile	10.43	Add per side for interior wall fi			20.14	
		Add per side for interior wair in	iisii iioiii abo	ve		
Vinyl composition tile	2.48	Entation and a tra				
Sheet tile	3.62	Folding curtain				
Sheet linoleum	3.23	Wood and plastic				14.00
Ceramic and quarry tile	13.54					
Terrazzo	9.09	Modular metal				
Slate, grouted	18.27	Single thickness				13.40
Marble	43.50	2" insulated				15.50
Carpet and pad	2.78	Modular hardboard				8.80
Carpet, indoor, outdoor	1.52	Modular softwood				11.50
Computer floor, elevated	18.91	Modular hardwood				16.00
Gym floor, hardwood, wood sub plus sleepers	10.18	Woddiai Haidwood				10.00
		Add for alazina				1 00
Brick, common	6.34	Add for glazing				1.80
Brick, pavers, in concrete	8.86	Lauretin aka da a a a a a a a a a a a a a a a a				7.00
Flagstone, in concrete	13.22	Laminated gypsum 2 1/4"				7.00
Epoxy	6.25	Asbestos cement				12.50
Epoxy with colored chips	9.14	Woven wire, including doors				7.20
Grating, steel or aluminum	18.25	Clear glass, full height				19.83

700

1300

700

1200

1300

4500

SCHEDULE C (continued)

Unit Finish Adjustments

APARTMENTS

Add per square foot per floor to account for variations in average unit size. The unit finish adjustment includes the cost of one (1) full bath, one (1) complete kitchen unit and air conditioning (if applicable). Thru-the-wall residential-type air conditioning units are not considered as real property in apartment units.

apartment u	iiito.					
Average	e Add per S.F.			Average	Add pe	r S.F.
Unit Size	W/O AC	W/AC	_	Unit Size	W/O AC	W/AC
400	16.57	18.76		1350	4.32	6.51
450	14.74	16.93		1400	4.10	6.29
500	13.25	15.44		1450	3.93	6.12
550	12.02	14.21		1500	3.77	5.96
600	10.98	13.17		1550	3.61	5.80
650	10.06	12.25		1600	3.45	5.64
700	9.25	11.44		1650	3.33	5.52
750	8.54	10.73		1700	3.21	5.40
800	7.89	10.08		1750	3.09	5.28
850	7.38	9.57		1800	2.99	5.18
900	6.93	9.12		1850	2.86	5.05
950	6.52	8.71		1900	2.75	4.94
1000	6.15	8.34		1950	2.63	4.82
1050	5.83	8.02		2000	2.52	4.71
1100	5.54	7.73		2050	2.42	4.61
1150	5.27	7.46	_	2100	2.32	4.51
1200	5.01	7.20		2150	2.22	4.41
1250	4.78	6.97		2200	2.12	4.31
1300	4.56	6.75		Over	2.00	4.19

MOTELS & HOTELS

Add per square foot per floor to account for variations in average unit size. The unit finish adjustment includes the cost of one (1) full bath

cost of one (1)	iuli batri.		
Average		Arrangement	
Unit Size	Strip	Back - Back	Centerhall
150	16.03	17.52	17.27
175	13.48	14.76	14.62
200	11.80	12.92	12.81
225	9.89	10.89	10.79
250	8.36	9.44	9.48
275	7.11	8.09	8.18
300	6.38	7.27	7.37
325	5.61	6.43	6.54
350	4.69	5.59	5.79
375	3.90	4.74	4.92
400	3.21	4.11	4.33
425	2.60	3.55	3.84
450	2.05	2.95	3.23
475	1.57	2.52	2.85
500	1.13	2.03	2.35
525	0.82	1.67	1.99
550	0.70	1.52	1.82
575	0.44	1.22	1.52
600	0.34	1.09	1.38
625	0.12	0.84	1.12
650	-0.02	0.66	0.94
675	-0.09	0.58	0.84
700	-0.28	0.36	0.62
Add per kitche	en unit (cabinets and sink	<i></i>	2300

STRIP RETAIL

Add per square foot to account for division walls. The component for partitioning in retail models does not include the division walls that form the common walls with the adjoining units. In the following table "X" equals:

$$X = \frac{Area}{N-1} \quad x \quad \frac{1}{Typical\ Depth}$$

Example: The "X" value for an eleven (11) unit strip center, 200' x 80' deep, is twenty (20), calculated as follows: 16,000 SF/10 = 1,600, then 1,600/80 = 20.

	The	correspond	ling add	litive from	the tab	le is 0.0	00	per S	SF.			
	Χ	RATE	Χ	RATE	Χ	RATE		Χ	RATE		Χ	RATE
	10	7.63	30	2.54	50	1.55		70	1.12	-	90	0.87
	12	6.39	32	2.42	52	1.49		72	1.05		92	0.81
	14	5.46	34	2.23	54	1.43		74	1.05		94	0.81
_	16	4.77	36	2.11	56	1.36		76	0.99		96	0.81
	18	4.28	38	1.98	58	1.30		78	0.99		98	0.81
_	20	3.84	40	1.92	60	1.30		80	0.93		100	0.74
_	22	3.47	42	1.80	62	1.24		82	0.93		120	0.62
	24	3.16	44	1.74	64	1.18		84	0.93		140	0.56
	26	2.91	46	1.67	66	1.18		86	0.87		160	0.50
_	28	2.73	48	1.61	68	1.12		88	0.87		180	0.43

SCHEDULE D Plumbing

Commercial and Industrial

Drinking fountains

Refrigerated water coolers

Corner, 2 person

Average cost per fixture, including supply, waste and vent lines, materials for rough and finish, labor and contractors overhead and profit. The difference between the residential rate and the commercial/industrial prices is primarily attributable to the longer pipe and sewer runs required to

used f	modate the latter type of construction. or commercial structures only when the ed from Schedule C	
CONV	ENTIONAL FIXTURES	

WASH FOUNTAINS ("Bradly's")	36"	54"
Circular		
Granito & Fiberglass	2300	2900
Enameled steel	2500	3200
Stainless steel	2700	3500
Semi-circular		
Granito & Fiberglass	2200	2600
Enameled steel	2300	2800
Stainless steel	2400	3000

INDUSTRIAL GANG SINKS (30" wide) 4' Long 4-man sink	
Fiberglass	1400
Enameled steel	1700
Stainless steel	2100
8' Long 8-man sink	
Fiberglass	2300
Enameled steel	2900
Stainless steel	3600
Industrial shower heads each	400

with hot and cold water		
SHOWER UNITS	Enamel	Stainless
Column showers	Steel_	Steel
Circular, 5 person	2100	4900
Semi-circular, 3 person	1600	3800
Corner, 2 person	1600	3300
Multi-stall showers		
Circular, 5 person	2900	6300
Semi-circular, 3 person	2300	5200

Emergency shower	1300
Emergency eye wash	600

2100

SCHEDULE E **GC Special Features**

Mezzanines

Per square foot, including, soffit finish, lighting, heating and

plumbing unless noted.

planibing annoce herea.				
	Frame Type			
	1	2	3	4
Unfinished				
Light Util/Storage	10.90	19.87	20.07	21.27
Heavy Util/Storage		22.74	23.94	24.14
Semi - Finished				
Light Mfg	19.70	28.71	29.14	30.31
Heavy Mfg		31.50	31.93	33.10
Finished Open				
Retail	25.50	35.25	35.50	36.30
Lobby, Access Way	28.89	38.56	38.81	39.61
Office	28.07	34.63	34.88	36.68
Finished Divided				
Dinning/Lounge	30.59	40.45	40.60	40.95
Office	31.47	38.63	38.58	38.93

Add for air conditioning and sprinkler.

Penthouses Per square foot

MECHANICAL ROOMS

Metal or Light Wood Frame

ELEVATORS AND STAIRWELLS

	Area				
	50	75	100	150	
Metal or Light Wood Frame	50.64	42.90	38.28	32.82	
Concrete Block or Equal	98.53	82.76	73.36	62.24	
Brick or Equal	114.34	95.64	84.55	71.33	

Concrete Block or Equal 43.02 37.49 34.15 55.57 31.89 Brick or Equal 63.43 48.56 41.95 38.00 NOTE: Price larger structures off of the GCI utility/storage upper floor model.

Mall Concourse Areas

Per square foot.

Costs include paving, ramps, stairs, lighting and typical permanent focal elements, and architectural treatment, such as built-in seating, planters, etc.

OPEN MALL

Open air pedestrian concourse areas, generally referred to as an arcade or courtyard.

COVERED MALL

Covered common areas, consisting of roof cover and open entrance areas. Minimal protection from weather conditions. Typical roof finishes include mansards or canopies. Apply costs to covered area only.

ENCLOSED MALL

Enclosed common concourse areas, completely climatized typical of modern shopping malls where concourse area is bordered on all sides by shops and stores.

Per S. F. average quality construction

Per S. F., average quality construction.					
Type	Construction	Rat	е		
Open		9.49			
Covered	Wood Frame	25.41			
Covered	WOOU Frame	23.41			
	Steel Frame	33.63			
	Reinforced Concrete	35.15			
	F.P. Steel Frame	37.39			
Enclosed		First	Upper		
	Wood Frame	41.58	34.49		
	Steel Frame	49.78	44.90		
	Reinforced Concrete	50.93	44.84		
	F.P. Steel Frame	51.45	45.68		
*Additive f	or walls	4.06			

Price basements from appropriate model in Schedule A. Adjust for quality grade from Schedule F.

NOTE: That the above rates are based on a zero (0) P/A ratio, add for walls by applying the additive rate to the subject P/A ratio, and adjusting the result to account for the percentage of walls priced with the shop enclosures. For example, a "T" shaped concourse area 60' x 200' and 60' x 100' x 20' high with shops 16' high would have a perimeter of 720 L/F and a P/A ratio of 4 (720 L/F / 18,000 SF) with 180 L/F of walls full height and 540 L/F clerestory walls 4' high. This amounts to an average of 40% wall coverage (.25 x 100% + .75 x 20%). The additive for walls would therefore be calculated as 4 x the additive rate x 40%.

1600

15.90

27.85

30.56

1800

15.48

27.01

29.56

2000

15.12

26.24

28.67

200

29.52

400

23.34

600

20.64

800

18.96

1000

17.88

Area

1400

16.38

28.92

31.80

1200

17.04

30.23

33.34

GC Special Features

Banking Features

Cost per square foot of floor area, based on an average 8' ceiling height, exclusive of floor and doors but including lighting, ventilation, and interior finish.

Туре	Low Cost	Average	Good
Money Vault	110.22	144.58	178.93
Record Storage	45.66	54.40	63.14

Add for money vault doors (thickness of steel plating w/o locking mechanism)

-	steel plating	iamom)	
	Thickness	Rectangular	Circular
	2"	6500	
	3"	9200	
	4"	16800	
	6"	24200	
	8"	30200	110500
	10"	36400	117200
	12"	44900	124000
	14"	49700	131600
	16"	59600	139400

Add for record storage vault doors

1/2	hour fire rating	1500
1	hour fire rating	2900
2	hour fire rating	3400
3	hour fire rating	3600
4	hour fire rating	3700
6	hour fire rating	4700

Drive-up/walk-up teller windows, each	10600
Vision window only, per station	1700
Night depositories, each	12900

Autotellers

Complete with receptacle box, pneumatic tube, and intercom, each

20400

Tellervues

Complete with receptacle box, pneumatic tube, 2-way screen and intercom, each

49000

21.24

NOTE: The pneumatic tube described above refers to in-ground permanent type construction.

ATM Enclosures, per square foot, average quality

# of ATM	w/o Lobby	w/Lobby
1	556.00	261.00
2	316.00	191.00

Add for canopy, per square foot Adjust for quality grade from Schedule F.

DRIVE-IN TELLER BOOTHS

Per square foot including finish, lighting, heating, air conditioning (average quality construction) add for drive-in windows, adjust for quality grade from Schedule F.

					P/A Ratio				
Wall Hgt.	35.0	40.0	45.0	50.0	55.0	60.0	65.0	70.0	+/-
8'	102.80	112.15	122.60	132.03	144.02	154.98	167.56	183.54	2.31
9'	110.83	121.28	132.92	143.47	156.79	169.01	182.99	200.70	2.57
10'	119.88	131.54	144.48	156.24	169.50	182.97	198.36	219.62	2.85
Add per cand	py, per square foo	ot		21.70	35.85				

Add per canopy, per square foot **Atriums**

Typical of those found in contemporary office buildings, hotels and high rise apartments

		e iouila ili colle	simporary office	bullulings, no			113		
Equiva	alent _				Perimeter	Area Ratio			
No. St	ories	0	1	2	3	4	5	6	+1
12'	1	67.60	69.80	72.65	74.87	78.48	81.45	85.20	4.50
22'	2	73.26	77.33	82.14	86.25	91.98	97.01	103.01	7.20
32'	3	78.93	84.87	91.63	97.62	105.49	112.58	120.81	9.90
42'	4	84.59	92.40	101.12	109.00	118.99	128.14	138.62	12.60
52'	5	90.26	99.94	110.61	120.38	132.49	143.70	156.43	15.30
62'	6	95.92	107.47	120.10	131.76	146.00	159.26	174.23	17.95
72'	7	101.59	115.01	129.59	143.13	159.50	174.82	192.04	20.65
82'	8	108.23	123.65	140.34	155.90	173.00	190.38	209.84	23.35
Add pe	er	•	•			•			•
add'l fl	oor	6.64	8.64	10.75	12.77	13.50	15.56	17.80	2.70

Per square foot for average quality structural, glazed and fireproofed steel frame construction, adjust for variations in quality grade from Schedule F. It should be noted, however, that typical atrium construction is characterized by good quality materials, workmanship and features. Sprinkler system is priced from Group 4 of the sprinkler schedule. Air conditioning in atrium areas is considered overflow from the main structure and no separate square foot pricing is required to adjust the atrium value.

NOTE: The zero (0) perimeter-to-area ratio is applicable to those areas that have no perimeter walls and therefore must not include an allowance for walls in the square foot rate. These areas are typically found in high rise atriums where structural walls forming the perimeter of concourse shops, offices, hotel units and other such occupancies should be valued as part of that space by applying the appropriate model rather than part of the atrium proper.

GC Special Features

Health/Recreational Club Facilities

SAUNA BATHS

Per item including heater and controls					
6 x 4 x 7' high	5600				
6 x 5 x 7' high	6000				
6 x 6 x 7' high	8100				
6 x 9 x 7' high	9700				
8 x 8 x 7' high	10400				
8 x 10 x 7' high	12500				
8 x 12 x 7' high	13800				
10 x 12 x 7' high	15500				

STEAM BATHS

Add 20% to sauna bath costs.

WHIRLPOOLS (JACUZZI)

For apartments, motels, health clubs and offices with

employee health facilities.

Number of persons	Concrete	Fiberglass
4	8100	6400
6	9700	7800
8	12500	10100
10	13800	11100

Indoor swimming pools, see commercial swimming pool schedule.

Marquees

Per square foot of horizontal area

	Wood	Steel
	Frame	Frame
Low Cost Installation	18.60	23.67
Average Installation	23.32	30.22
Good Installation, Elaborate Décor	28.82	38.34
High Cost Installation, Lavish Décor	40.22	53.12

Conveying Systems

PASSENGER ELEVATORS

Price per item (in hundreds of dollars)

Electric (passenger operated) geared, variable voltage control.

_	Capacity (100 lb)					
FPM	15	20	25	30	40	50
100	493	686	699	712	737	777
150	576	785	798	809	825	861
200	642	869	881	886	894	925
250	699	941	946	949	951	982
300	750	1005	1006	1004	1001	1026
350	797	1062	1058	1052	1044	1070
400	838	1113	1105	1099	1082	1107
Add per stop	71	71	71	71	71	71

For manual operated doors, deduct ten percent (10%) of total.

Electric (completely automatic, group controlled) gearless,

hi speed, hi rise.

	Capacity (100 lb)							
FPM	20	25	30	35	40	50		
300	1392	1451	1470	1483	1503	1530		
400	1537	1599	1623	1635	1663	1690		
500	1696	1768	1794	1807	1835	1865		
600	1867	1955	1979	1995	2025	2059		
700	2069	2156	2185	2204	2236	2272		
800	2285	2361	2415	2438	2470	2511		
1000	2789	2908	2943	2965	3012	3061		
1200	3396	3542	3586	3616	3671	3729		
1400	4147	4317	4382	4411	4473	4547		
Add per stop	116	116	116	116	116	116		
A -1 -1	A -1-1							

Add per express floor

With openings, use cost per stop from table. For attended, use eighty-five percent (85%) of total cost.

Hydraulic passenger (power doors)

	Capacity (100 lb)						
FPM	15	20	25	30	40	50	
50	239	332	340	348	340	371	
75	297	401	409	414	402	432	
100	341	459	472	470	451	483	
125	381	509	517	516	493	525	
150	417	557	561	563	534	563	
200	482	643	638	636	598	627	
Add per stop	125	125	127	130	135	142	

For manual operated doors, deduct ten percent (10%) of total.

Electric (residential type)

+/-1' travel

20 FPM	350 lb capacity, 2-stops	145
	500 lb capacity, 2-stops	290
	Add per additional stop	30
Incline lifts	· · · · · · · · · · · · · · · · · · ·	
Single	7200	
Two -	9200	

92.50

GC Special Features

Conveying Systems (continued)

FREIGHT ELEVATORS

Per item (in hundreds of dollars)

Hydraulic, push button operation

		Capacity (100 lb)								
FPM	20	30	40	50	60	80	100	120	150	200
50	234	271	297	324	343	375	568	671	820	1067
100	312	339	371	394	412	444	668	783	955	1227
125	361	390	416	434	453	474	724	845	1026	1313
150	411	442	467	486	504	530	786	918	1103	1426
Add per stop for doors										
Manual	75	75	75	75	75	75	75	75	75	75
Power	164	164	164	164	164	164	164	164	164	164

Electric, variable voltage control, push button operation

_	Capacity (100 lb)									
FPM	20	30	40	50	60	80	100	120	150	200
100	569	605	660	723	792	881	1001	1131	1262	1489
200	651	699	763	817	881	1001	1147	1370	1592	
300	737	801	883	950	1033	1183	1373			
400	836	914	1014	1102	1208	1401	1656			
Add per stop for doors										
Manual	55	55	55	55	55	55	55	55	55	55
Power	84	84	84	84	84	84	84	84	84	84

Manual controls-deduct ten percent (10%) from base cost and use manual door cost for stops.

REAR DOORS

add to either the passenger or the freight elevators

listed above:

Manual first stop 76
Additional stop 59
Power first stop 133
Additional stop 114

SIDEWALK ELEVATORS (electric or hydraulic)
One floor, 2000-3000 lb capacity 37300

ESCALATORS

Per moving stairway (in hundreds of dollars)

32" Width		40" Width	
Rise in Feet	Cost	Rise in Feet	Cost
10	1040	10	1064
14	1072	14	1120
18	1208	18	1296
22	1336	22	1360
25	1400	25	1432

MOVING WALKS

Per L/F at 2% gradient

Length	Width					
(Ft)	36"	48"	54"			
100	2111	2281	2321			
300	1573	1684	1730			
500	1433	1518	1602			
750	1363	1416	1502			
1000	1295	1386	1440			
1400	1202	1325	1350			
1800	1153	1212	1305			

For variations in gradients (percentage of rise per linear foot of run) add seven tenths percent (.7%) to the base rate for each additional percent of rise. For example, the base rate for a one hundred feet (100') walk with a rise of fifteen feet (15') (fifteen percent (15%)) would be increased by nine and one-tenth percent (9.1%) (15 - 2 x .7%); the rate for a one hundred fifty feet (150') walk with a rise of fifteen feet (15') (ten percent (10%)) would increase five and six-tenths percent (5.6%) (10 - 2 x .7%).

SCHEDULE E (continued) GC Special Features

Boilers - Gas and Light Oil Fired

Costs are for industrial type package boilers including pumps, controls and gauges. Costs are for rated horsepower. Boiler output may also be rated in terms of B.T.U. per hour, or pounds of steam per hour at two hundred twelve degrees Farenheight (212 F).

1hp = 33,500 BTU per hour

- = 139 square feet of steam radiation
- = 223 square feet of water radiated
- = 34.5 pounds of steam per hour
- 1 lb. steam per hour = 970 BTU per hour
 1 sq ft of equivalent steam radiation=240 BTU
- 1 sq.ft. of equivalent steam radiation=240 BTU per hour
- 1 sq.ft. of equivalent water radiation=150 BTU per hour

Low pressure, fifteen (15) pounds steam, thirty

(30) pounds water.

Rated	Fire	Scotch	Water
Horsepower	Tube	Marine	Tube
4			2900
6	7800		4100
10	10400		6000
15	13400	10800	7800
20	15700	12600	9700
30	20100	16500	13000
40	23800	19300	16500
50	27400	21900	19300
75	34300	28100	25900
100	40900	33200	32100
150	52300	42800	43500
200	61800	50800	
300	78600	64400	
400	93200	76800	
500	106800	87800	
600	118900	98300	

High Pressure

125 pounds water, factor above 150 pounds steam, factor above 1.12 1.25

Cold Storage Facilities

To estimate total cost of a cold storage plant, determine cost of basic building, then add for insulation and doors. Add for enclosure wall from unit cost tables.

INSULATION

Per square foot of surface area

Insulation	Cork		Fiberglass	Foamglass	Mineral	
Thickness	Board	Styrene	Board	Board	Wood Batts	Urethane
1"	5.67	4.58	5.06	5.80	4.58	5.06
2"	6.65	4.76	5.19	7.02	4.70	5.98
4"	8.85	5.19	5.67	8.91	5.19	7.56
6"	10.37	5.73	6.10	11.10	5.61	9.27
8"	12.20	6.22	6.53	13.24	6.10	10.92
10"	14.15	6.71	7.02	15.25	6.59	

COLD STORAGE DOORS

Per square foot of surface area

i ci squaic	loot of Suit	acc arca		
	To 15	16-25	26-40	Over 40
Thickness	Sq. Ft.	Sq. Ft.	Sq. Ft.	Sq. Ft.
4"	117.92	103.17	88.72	75.70
6"	126.05	111.97	98.89	86.24
8"	134.85	122.14	109.80	98.21
Sliding door	'S			
Single ad	d		25%	
Double a	dd		45%	

GC Special Features

Dock Facilities

Per square foot

LOADING DOCKS Concrete on fill

	Perimeter Area Ratio						
	Height	5	10	15	20	30	
Concrete Grade Walls	3'6"	6.80	9.26	10.89	13.57	18.10	
	+/- 1'	0.11	0.16	0.20	0.26	0.41	
Concrete Block Grade Walls	3'6"	6.32	8.24	9.49	11.66	15.24	
	+/- 1'	0.11	0.16	0.20	0.26	0.41	

A loading dock has either poured concrete or concrete block perimeter grade walls built on 12" x 18" strip footings with approximately 3'6" of the wall above grade. Many loading docks are 3 - sided additions to existing structures, so calculating the perimeter for the perimeter-to-area ratio represents only the length of the three (3) sides.

DEPRESSED TRUCK AND TRACK AREAS (INSIDE)	
Concrete Grade Walls	
3'6" Deep , per linear foot	59.74
+/- 1' Deep	12.38
Concrete Block Grade Walls	
3'6" Deep , per linear foot	47.36
+/- 1' Deep	8.71
Add per cubic foot of depressed area for excavation	0.35
Deduct for earth floor, per square foot	4.18
Deduct for asphalt paving, per square foot	0.89

A depressed truck or track area occurs within the interior of a building. For example, a company builds a building at the surrounding grade level terrain and then excavates an area that is 3' 6" lower depression within that building to accommodate the movement of goods by either truck trailers or railroad cars. The square footage of this lower area is a depressed truck or track area.

Canopies

INDUSTRIAL DOCK TYPE

Per square foot

Basic, corrugated metal or composition,
wood or steel deck and framing,
without soffit or lighting 13.64 to 14.71

Add for soffit and lighting 3.18

COMMERCIAL TYPE

Per square foot including lighting and soffit

Low cost, unfinished soffit 18.90
Average, finished soffit 24.47
Good, finished soffit, lighting 27.02
High cost, finished soffit, lighting 26.00 to 29.15

NOTE: Refer to the residential schedule for patios, porches, porticos, wood decks, balconies, and other residential type features.

STRUCTURAL DOCKS	
Wood Floor	
Light timber or steel supports	9.63
Heavy timber or steel supports	13.50
Concrete Floor	
Light steel or concrete supports	11.44
Heavy steel or concrete supports	17.25
Add for canopies from below.	
A structural dock has either steel or concrete piers inserted	
into the ground that support the weight associated with a dock	ί.
The dock itself is built with either a steel or wood structural	
frame and capped with a wood or concrete floor.	

TRUCK WELLS AND RAMPS

Concrete paving, per square foot (incl. fill or excav)	4.18
Asphalt paving, per square foot (incl. fill or excav)	3.29
Concrete grade walls, per linear foot	
0' to 3'6" deep or rise	41.21
+/- 1' deep or rise	11.83
Concrete Block Grade	
Walls	
0' to 3'6" deep or rise	34.19
+/- 1' deep or rise	8.32

A ramp is an incline that starts at ground level and slopes or rises upward to a specific point. A truckwell is an incline that begins at ground level and slopes or falls downward to a specific level. In both instances, side walls are constructed of either poured concrete or concrete block to hold in or hold out dirt or fill materials.

Appendix G

Commercial and Industrial Cost Schedules

SCHEDULE G

Yard Improvements

Fencing

Per linear foot including normal walk-in gates

				Height		
	4'	6'	7'	8'	9'	10'
Galvanize Chainlink						
7 Gauge	15.36	15.99	14.95	18.55	19.86	21.19
9 Gauge	13.31	13.69	12.87	16.03	17.22	18.41
Aluminum	21.06	31.59	36.83	42.12	47.41	52.65
Iron	46.28	69.39	80.95	92.56	104.11	115.67
Modular steel	20.87	31.30	36.49	41.73	46.97	52.16
Add for top rail						1.52
Add for 3 strands of barbed wire						1.39
Add for service gates, per square foot				5.87	to	7.47
Deduct for large installations				3.67	ιο	7.47
1-3000 linear foot						-10%
3-6000 linear foot						-15%
Over						-20%
Aluminum, galvanized steel prices, add						10%
WOOD FENCE						
Per linear foot						
Basket weave				-		
5' high	23.50					
6' high	24.00					
Plank				_		
5' high	13.50					
6' high	16.20			_		
Split Redwood				-		
5' high	13.90					
6' high	14.80			_		

Masonry Walls

Per linear foot

i ci iiiicai ioot		
	6'	+/-1'
4" Concrete Block, painted	97.57	7.76
6" Concrete Block, painted	104.01	8.72
8" Concrete Block, painted	113.06	10.15
4" Solar Screening Block		
6" x 6"	187.92	16.52
8" x 8"	134.19	12.35
12" x 12"	93.02	9.34
8" Common Brick	224.96	29.35
12" Common Brick	312.86	44.00
4" Face Brick	154.32	20.85
8" Face Brick, 2 Sides	283.45	38.15
12" Face Brick, 2 Sides	371.94	47.14
4" Concrete	154.99	15.02
6" Concrete	178.18	16.46
8" Concrete	185.21	18.76

This schedule may be applicable to agricultural fertilizer containment walls as well.

Paving

12' 24.51 21.32 63.18 138.83 62.60

Per square foot

ASPHALT	
2" on 5" base	
Under 20,000 square feet	2.38
20,000-50,000 square feet	2.18
Over 50,000 square feet	1.90
Add for sand finish course, 3/4" thick	2.92
Add for gravel surfacing	0.27
Add or deduct per 3" base	0.34
Heavy duty or industrial work areas	2.58
CONCRETE	
3" on 4" base	2.44
4" on 4" base	2.71
5" on 4" base	3.61
6" on 4" base	4.52
8" on 4" base	5.31
12" on 4" base	6.22
Add or deduct per 2" of base	0.25
Heavy duty roadways or industrial work areas	4.60
MACADAM PENETRATION	
4" base	0.40
6" base	0.60
8" base	0.80
0 5400	0.00
CRUSHED STONE PAVING	
3/4", delivered	0.45
3" deep 6" deep	0.45 0.80
NOTE: All paving prices, including service station and	0.80
fast food restaurants, should be derived from the	
above schedules.	
above scriedules.	
Guardrails	
Per linear foot	
Metal guard rail, pipe or posts	22.50
Barriers posts or poles	17.20
Railroad Siding	
Per linear foot, includes rails, wood ties and ballast	

	rano, moda nos a	ina banaot
Weight		Add for
of Rail	Cost	Switch & Turnout
40#	62.44	14900
60#	78.47	18000
80#	92.50	20600
100#	104.79	22900
115#	113.56	24400
130#	121.48	26100

Add per linear foot of trestles Single track
Double track
Add per linear foot of steel 290 490 100 ties embedded in concrete

Yard Improvements

Retaining Walls

Per linear foot including excavation and backfill, to be considered only if they add value as an improvement over and above the curing contribution considered in the site valuation.

PLAIN CONCRETE, GRAVITY TYPE, NO REINFORCING

	6'	8'	10'
Level Backfill	236.00	310.00	460.00
Sloping Surcharge (33Deg)	260.00	361.00	509.00

REINFORCED, CANTILEVER TYPE

	6'	8'	10'	20'
Sloping Surcharge (33Deg)	236.00	287.00	397.00	
500 Lb. Per LF. Surcharge				1100.00

CONCRETE CRIBBING

Per square foot of face including excavation and backfill

	Open	Closed
	Face	Face
12' High	45.75	48.00

STEEL BIN TYPE

Per square foot, based on 10' wide section

1 of oquato foot, but	000 011 10 11	100 00011011
Height	Depth	Cost
4'	5'6"	38.00
8'	5'6"	39.40
10'	7'6"	46.80
12'	7'6"	48.80
16'	7'6"	52.50
16'	10'	60.40
20'	10'	62.30
20'	12'	64.40
24'	12'	66.20
24'	14'	72.00
28'	14'	74.00

Commercial Docking Facilities

SMALL BOAT MARINA

Typical installation, including ramps, anchor piers, utilities,

lockers, etc.:

Range (per slip) 5000 to 8500

Typical wood deck on posts & piling, per square foot
Light construction 21.75
Medium construction 34.00
Heavy construction 61.00

Heavy concrete deck on piling for major shipping 93.00

MOORING CLUSTERS AND CELLS

	20'	30'	40'
Cluster of 3 Wood Piles	1000	1600	2000
Cluster of 5 Wood Piles	1600	2500	3300

Bridges

Typical costs per square foot of deck, including erection foundation

PEDESTRIAN

	Width	Span	Costs
Precast Concrete	8'	60'	73.80
	8'	100'	80.85
	8'	120'	91.40
	8'	150'	101.95
Steel, Trussed or Arched	8'	40'	70.30
	8'	50'	73.80
	8'	60'	77.35
	8'	80'	91.40
	8'	100'	101.95
	8'	120'	133.60
	8'	150'	144.15
	8'	160'	151.15
	10'	80'	66.75
	10'	120'	105.50
	10'	150'	123.00
	10'	200'	168.80
Wood, Laminated type		80'	63.30
		130'	70.35
HIGHWAY			
	Low Cost	Median	High Cost
Concrete	58.00	104.00	179.80
Steel	64.00	115.00	204.50

Low Cost

336.00

Median

419.00

High Cost

518.00

CELLS, STEEL PILING, FILLED AND CAPPED

Per each

SKYWAY

Enclosed Walkway

		20'	30'	40'
3	' Square	5900	8600	11000
4	' Square	8000	11600	15000
6	' Square	12200	17800	23000
8	' Square	16900	24300	31400
4	' Diameter	6700	9600	12400
6	' Diameter	10200	14700	19100
8	' Diameter	14000	20200	26000
12	' Diameter	22200	31700	40800
20	' Diameter	40800	57700	73800

Yard Improvements

Tanks

- 1 Barrel of oil = 42.0 gallons
- 1 Barrel of water = 31.5 gallons
- 1 Gallon of water = 8.34 pounds
- 1 Gallon of water = .1337 cubic feet

Capacity of cylindrical tanks or reservoirs (per foot of depth or height).

Capacity of	cylinarical t	anks or res	servoirs (per 100t of ac	eptn or neignt).	
Diameter		Barrels		Diameter		Barrels
(Feet)	U.S. Gal	(42 gal)	_	(Feet)	U.S. Gal	(42 gal)
1'0"	5.87	0.1		27'	4,283.00	102.0
1'6"	13.22	0.3		28'	4,606.20	109.7
2'0"	23.50	0.6		29'	4,941.00	117.6
2'6"	36.72	0.9	_	30'	5,287.70	125.8
3'0"	52.87	1.3		31'	5,645.70	134.4
3'6"	71.97	1.7		32'	6,016.20	143.2
4'0"	94.00	2.2		33'	6,398.10	152.3
4'6"	118.97	2.8	_	34'	6,790.70	161.6
5'0"	146.88	3.5		35'	7,196.00	171.3
5'6"	177.72	4.2		36'	7,613.30	181.3
6'0"	211.51	5.0		37'	8,041.90	191.5
6'6"	248.23	5.9	_	38'	8,482.40	202.0
7'0"	287.88	6.8		39'	8,934.90	212.7
7'6"	330.48	8.0		40'	9,398.70	223.8
8'0"	376.01	9.0		41'	9,875.80	235.1
8'6"	424.48	10.1	_	42'	10,362.00	246.7
9'0"	475.89	11.3		43'	10,861.60	258.6
9'6"	530.24	12.6		44'	11,374.00	270.8
10'	587.48	14.0		45'	11,895.30	283.2
11'	710.90	16.9	_	46'	12,430.10	296.0
12'	846.03	20.2		47'	12,976.10	309.0
13'	992.91	23.7		48'	13,534.80	322.3
14'	1151.50	27.4		49'	14,104.00	335.8
15'	1321.90	31.5	_	50'	14,685.00	349.0
16'	1504.10	35.8		60'	21,149.30	503.6
17'	1697.90	40.4		70'	28,768.50	685.5
18'	1903.60	45.3		80'	37,598.70	895.3
19'	2120.90	50.5	_	90'	47,585.90	1,133.1
20'	2350.10	56.0		100'	58,748.00	1,339.0
21'	2591.00	61.7		120'	84,597.10	2,014.5
22'	2843.60	67.7		140'	115,146.10	2,742.0
23'	3108.00	74.0	_	160'	150,394.90	3,581.4
24'	3384.10	80.6		180'	190,343.50	4,532.7
25'	3672.00	87.4		200'	234,992.00	5,596.0
26'	3971.60	94.6	_	220'	284,340.30	6,771.2
			-			

Capacity in barrels (oil) = D to power of $2 \times .1399 \times height$ (diameter and height in feet)

Capacity in gallons = D to power of $2 \times 5.8748 \times height$ (diameter and height in feet)

Oil Storage

BOLTED STEEL TYPE

Standard A. P. I. tanks. Costs include roof deck and supports, sand and gravel foundation with retaining ring, painting and typical basic fittings.

retaining ring, painting and typical basic fittings.							
Capacity	Size						
(Barrels)	Dia x Hgt	Cost					
100	9' x 8'	6,600					
200	9' x 16'	10,300					
300	9' x 24'	14,400					
400	9' x 32'	18,600					
500	16' x 16'	22,700					
750	16' x 24'	30,200					
1000	22' x 16'	37,400					
1500	22' x 24'	50,800					
2000	30' x 16'	62,600					
3000	30' x 24'	70,800					
4000	39' x 16'	76,300					
5000	39' x 24'	81,800					
7500	39' x 36'	100,300					
10000	55' x 24'	121,600					
15000	55' x 36'	158,000					

WELDED STEEL TYPE

Costs include foundations, cone roofs with support outside ladder, steel right curb.

Capacity	Size	
(Barrels)	Dia x Hgt	Cost
2,000	30' x 16'	63,900
3,000	30' x 24'	72,100
4,000	30' x 32'	80,800
5,000	38' x 24'	91,800
7,500	38' x 36'	107,600
10,000	55' x 24'	135,400
15,000	55' x 36'	169,800
20,000	60' x 40'	206,200
25,000	60' x 50'	240,500
30,000	80' x 34'	274,900
40,000	80' x 45'	314,200
45,000	90' x 40'	353,700
50,000	90' x 44'	393,100
75,000	120' x 36'	549,800
100,000	140' x 37'	707,800
125,000	160' x 35'	860,400
150,000	180' x 33'	1,007,500
200,000	200' x 36'	1,230,200
250,000	220' x 36'	1,298,900
300,000	240' x 37'	1,830,800
350,000	260' x 37'	1,869,300
400,000	260' x 42'	2,061,600
500,000	280' x 46'	2,439,700

Add for pontoon floating roof

per foot of diameter

1060 1900 to

Add for double deck roof

per foot of diameter 1400 1170

Yard Improvements

Elevated Steel Tanks

Per item including foundation, riser pipe, frost case, ladder and walkway, completely installed.

and wantway, completely installed.									
Capacity	Cost (in \$1000) for Tower Heights								
(Gallons)	50'	75'	100'	150'					
15,000	154	172	200	262					
20,000	157	176	205	266					
25,000	162	179	209	271					
30,000	166	184	214	276					
40,000	171	189	217	281					
50,000	176	194	222	285					
60,000	190	211	240	304					
75,000	207	231	260	321					
100,000	224	246	277	340					
125,000	251	275	304	366					
150,000	277	301	331	394					
200,000	371	401	432	493					
250,000	416	454	484	544					
300,000	462	506	537	598					
400,000	543	593	620	687					
500,000	606	659	709	783					
750,000	794	859	935	1,053					
1,000,000	1,004	1,083	1,181	1,324					
1,500,000	1,397	1,504	1,645	1,862					
2,000,000	1,787	1,920	2,107	2,403					
Factor*	1.15	1.15	1.15	1.20					

^{*}For high stress hurricane and earthquake areas

Welded Steel Pressure

Costs include horizontal installation on legs or saddle pads including normal fittings but

not foundations or base plates.

(Gallons) Dia x Hgt Cost 125 2' x 6' 600 250 2'6" x 9' 900 500 3'6" x 8' 1,600 1000 3'6" x 16' 2,800 1500 5' x 11' 4,000 2000 5' x 15' 5,200 2500 5' x 19' 6,500 3000 5' x 22' 7,800 4000 5' x 22' 7,800 4000 5' x 29' 10,200 5000 5' x 36' 12,700 7500 6' x 37' 18,900 10000 6' x 50' 25,000 12500 6' x 61' 35,000 15000 7'6" x 50' 41,100 20000 7'6" x 50' 41,100 20000 7'6" x 50' 51,500 25000 9'6" x 51' 61,700 30000 11' x 47' 72,000 35000 11' x 47' 72,000	Capacity	Size	-
125 2' x 6' 600 250 2'6" x 9' 900 500 3'6" x 8' 1,600 1000 3'6" x 16' 2,800 1500 5' x 11' 4,000 2000 5' x 15' 5,200 2500 5' x 19' 6,500 3000 5' x 22' 7,800 4000 5' x 29' 10,200 5000 5' x 36' 12,700 7500 6' x 37' 18,900 10000 6' x 50' 25,000 12500 6' x 61' 35,000 15000 7'6" x 50' 41,100 20000 7'6" x 65' 51,500 25000 9'6" x 51' 61,700 30000 11' x 47' 72,000			Cost
250 2'6" x 9' 900 500 3'6" x 8' 1,600 1000 3'6" x 16' 2,800 1500 5' x 11' 4,000 2000 5' x 15' 5,200 2500 5' x 19' 6,500 3000 5' x 22' 7,800 4000 5' x 29' 10,200 5000 5' x 36' 12,700 7500 6' x 37' 18,900 10000 6' x 50' 25,000 12500 6' x 61' 35,000 15000 7'6" x 50' 41,100 20000 7'6" x 65' 51,500 25000 9'6" x 51' 61,700 30000 11' x 47' 72,000			
500 3'6" x 8' 1,600 1000 3'6" x 16' 2,800 1500 5' x 11' 4,000 2000 5' x 15' 5,200 2500 5' x 19' 6,500 3000 5' x 22' 7,800 4000 5' x 29' 10,200 5000 5' x 36' 12,700 7500 6' x 37' 18,900 10000 6' x 50' 25,000 12500 6' x 61' 35,000 15000 7'6" x 50' 41,100 20000 7'6" x 65' 51,500 25000 9'6" x 51' 61,700 30000 11' x 47' 72,000	_		
1000 3'6" x 16' 2,800 1500 5' x 11' 4,000 2000 5' x 15' 5,200 2500 5' x 19' 6,500 3000 5' x 22' 7,800 4000 5' x 29' 10,200 5000 5' x 36' 12,700 7500 6' x 37' 18,900 10000 6' x 50' 25,000 12500 6' x 61' 35,000 15000 7'6" x 50' 41,100 20000 7'6" x 65' 51,500 25000 9'6" x 51' 61,700 30000 11' x 47' 72,000	250	2'6" x 9'	900
1500 5' x 11' 4,000 2000 5' x 15' 5,200 2500 5' x 19' 6,500 3000 5' x 22' 7,800 4000 5' x 29' 10,200 5000 5' x 36' 12,700 7500 6' x 37' 18,900 10000 6' x 50' 25,000 12500 6' x 61' 35,000 15000 7'6" x 50' 41,100 20000 7'6" x 55' 51,500 25000 9'6" x 51' 61,700 30000 11' x 47' 72,000	500	3'6" x 8'	1,600
2000 5' x 15' 5,200 2500 5' x 19' 6,500 3000 5' x 22' 7,800 4000 5' x 29' 10,200 5000 5' x 36' 12,700 7500 6' x 37' 18,900 10000 6' x 50' 25,000 12500 6' x 61' 35,000 15000 7'6" x 50' 41,100 20000 7'6" x 65' 51,500 25000 9'6" x 51' 61,700 30000 11' x 47' 72,000	1000	3'6" x 16'	2,800
2500 5' x 19' 6,500 3000 5' x 22' 7,800 4000 5' x 29' 10,200 5000 5' x 36' 12,700 7500 6' x 37' 18,900 10000 6' x 50' 25,000 12500 6' x 61' 35,000 15000 7'6" x 50' 41,100 20000 7'6" x 65' 51,500 25000 9'6" x 51' 61,700 30000 11' x 47' 72,000	1500	5' x 11'	4,000
3000 5' x 22' 7,800 4000 5' x 29' 10,200 5000 5' x 36' 12,700 7500 6' x 37' 18,900 10000 6' x 50' 25,000 12500 6' x 61' 35,000 15000 7'6" x 50' 41,100 20000 7'6" x 65' 51,500 25000 9'6" x 51' 61,700 30000 11' x 47' 72,000	2000	5' x 15'	5,200
4000 5' x 29' 10,200 5000 5' x 36' 12,700 7500 6' x 37' 18,900 10000 6' x 50' 25,000 12500 6' x 61' 35,000 15000 7'6" x 50' 41,100 20000 7'6" x 65' 51,500 25000 9'6" x 51' 61,700 30000 11' x 47' 72,000	2500	5' x 19'	6,500
5000 5' x 36' 12,700 7500 6' x 37' 18,900 10000 6' x 50' 25,000 12500 6' x 61' 35,000 15000 7'6" x 50' 41,100 20000 7'6" x 65' 51,500 25000 9'6" x 51' 61,700 30000 11' x 47' 72,000	3000	5' x 22'	7,800
7500 6' x 37' 18,900 10000 6' x 50' 25,000 12500 6' x 61' 35,000 15000 7'6" x 50' 41,100 20000 7'6" x 65' 51,500 25000 9'6" x 51' 61,700 30000 11' x 47' 72,000	4000	5' x 29'	10,200
10000 6' x 50' 25,000 12500 6' x 61' 35,000 15000 7'6" x 50' 41,100 20000 7'6" x 65' 51,500 25000 9'6" x 51' 61,700 30000 11' x 47' 72,000	5000	5' x 36'	12,700
12500 6' x 61' 35,000 15000 7'6" x 50' 41,100 20000 7'6" x 65' 51,500 25000 9'6" x 51' 61,700 30000 11' x 47' 72,000	7500	6' x 37'	18,900
15000 7'6" x 50' 41,100 20000 7'6" x 65' 51,500 25000 9'6" x 51' 61,700 30000 11' x 47' 72,000	10000	6' x 50'	25,000
20000 7'6" x 65' 51,500 25000 9'6" x 51' 61,700 30000 11' x 47' 72,000	12500	6' x 61'	35,000
25000 9'6" x 51' 61,700 30000 11' x 47' 72,000	15000	7'6" x 50'	41,100
30000 11' x 47' 72,000	20000	7'6" x 65'	51,500
,	25000	9'6" x 51'	61,700
35000 11' x 52' 82,400	30000	11' x 47'	72,000
	35000	11' x 52'	82,400
40000 11' x 57' 92,600	40000	11' x 57'	92,600
45000 11' x 63' 102,800	45000	11' x 63'	102,800
60000 11' x 90' 133,700	60000	11' x 90'	133,700
90000 11' x 133' 196,200	90000	11' x 133'	196,200

Towers

Per item of painted towers for flat bottom tanks, including added cost of erection of tank above ground, footings, pipe to ground

	and baicon	ıy.							
	Capacity	Tower Height							
	(Gallons)	12'	25'	50'	75'	100'			
	1,000	4800	5900						
	1,500	5500	7100	11500					
	2,000	6200	7800	12700	20000				
	3,000	7200	8900	14300	22700	36000			
	5,000	8400	10700	17100	26100	41100			
	10,000	11300	13700	21200	32200	49000			
	20,000	14400	17300	26600	39400	58700			
	30,000	16800	20000	29900	44300	65100			
•	40,000	18500	22300	32900	48300	70000			
	50,000		24400	35400	51100	76900			
	75,000			40500	59300	91900			

Bulkhead Piling

Sea walls, cost per linear foot where typically installed, 10' - 14' depth for small residential jobs. For large commercial projects, costs may be 50% lower.

Creosoted wood, 8" to 12" including tiebacks	210	320
Concrete, precast, 5" to 6" including ties		
and piling	390	650
Rubble stone, 3' including 1' of bedding	520	680

Earth Dikes

Per cubic foot 0.60

Yard Improvements

Wood Water Storage

Per item, redwood or fir.

Capacity	Size	Tank	Flat	Conical	Chime	Wood	Steel
(Gallons)	(Dia x Hgt)	Cost	Cover	Cover	Joists	Ladder	Ladder
1,000	6 x 6	3900	560	890	110	150	160
1,500	7 x 7	5000	640	1050	150	150	160
2,000	8 x 6	6000	740	1230	190	150	160
3,000	8 x 8	7500	740	1230	190	190	210
4,000	9 x 9	9000	910	1590	300	190	210
5,000	11 x 8	10300	1160	1860	390	190	210
7,500	12 x 10	12900	1480	2080	440	240	260
10,000	14 x 10	15300	1730	2530	660	240	260
15,000	14 x 14	20000	1730	2530	660	310	360
20,000	16 x 14	24300	1900	2950	900	310	360
30,000	18 x 16	30900	2110	3450	1140	360	410
50,000	22 x 18	42100	2600	4560	1400	400	460
75,000	26 x 20	53400	3090	5590	1690	440	500
100,000	30 x 20	64000	3650	6790	2040	440	500
150,000	37 x 20	81500	4640	8650	2810	440	500
200,000	43 x 20	97000	5280	10540	3450	440	500

Add 33% for cypress tanks.

Add tower cost for elevated tanks.

Add for concrete slab foundations, per cubic foot

Add cover, joists, and ladders to basic tank cost as necessary.

Standpipes and Surface Reservoirs

Cost includes foundation, roof, ladders and typical accessories.

WELDED STEEL STANDPIPE - (Height exceeds diameter)

	,				
Capacity		Capacity		Capacity	
(Gallons)	Cost	(Gallons)	Cost	(Gallons)	Cost
10,000	22,600	200,000	136,000	2,000,000	628,200
20,000	36,100	250,000	153,100	2,500,000	734,400
30,000	47,500	300,000	169,700	3,000,000	840,400
50,000	64,800	400,000	212,200	4,000,000	1,025,300
75,000	84,700	500,000	249,000	5,000,000	1,198,700
100,000	103,200	750,000	319,800	6,000,000	1,367,000
125,000	111,400	1,000,000	369,400	7,500,000	1,596,700
150,000	120,100	1,500,000	515,900	10,000,000	1,950,600

7.60

9.20

CONCRETE WATER TANKS - (Surface reservoir)

000.10,						
Capacity		Capacity			Capacity	
(Gallons)	Cost	(Gallons)	Cost	(Gallons)	Cost
10,000	42,500	200,000	251,000	2	,000,000	927,400
20,000	64,400	250,000	285,100	2	,500,000	1,056,600
30,000	81,600	300,000	321,100	3	,000,000	1,189,200
50,000	112,300	400,000	380,200	4	,000,000	1,454,800
75,000	140,600	500,000	430,200	5	,000,000	1,721,900
100,000	166,700	750,000	551,600	6	,000,000	1,983,700
125,000	188,600	1,000,000	650,200	7	,500,000	2,389,900
150,000	212,900	1,500,000	790,100	_10	0,000,000	3,057,800

Reservoirs-typical costs of cut and fill reservoirs with concrete or asphalt linings and wood roof structures, per unit of rated capacity per gallon or \$78,200 per acre foot.

Yard Improvements

Dry Storage Bins

Typical cost per item for bolted steel industrial type bins (to 55# per cubic foot), installed complete.

CYLINDRICAL TYPE, including foundation and floor slab

Height									
Diameter	24'	32'	40'	48'	56'	64'	72'	80'	88'
Diameter	6400	8100	9400	10800	12300	13500	14800		
12'	9900	11800	16000	17600	19300	20900	22500		
15'	13300	16600	19800	22900	25800	28800	31500	34400	
18'	17300	21500	25800	29800	33800	37500	41400	45000	48600
21'		28300	33600	38500	43400	47800	52000	56600	61100
26'		39400	45600	52000	58400	64600	71800	78000	84400
32'		53400	63600	72800	81900	90600	99500	107400	115300

HOPPER TYPE, including structural supports and footings

Height								
Diameter	16'	24'	32'	40'	48'	56'		
9'	7500	9300	10400	11600				
12'	11100	13800	15400	17600	19300	20900		
15'		18100	21600	24500	27300	29500		
18'		23400	28100	32500	36000	39500		
21'		28600	35900	42100	47100			

Factors for

80# Cylindrical 1.05 Hopper 1.10 100# Cylindrical 1.15 Hopper 1.15

Bulk Storage Tanks

VERTICAL BULK STORAGE

Costs are for 10 and 12 gauge bolted galvanized tanks, including sand & gravel foundations, fittings and roof.

Capacity		Capacity	
(Gallons)	Cost	(Gallons)	Cost
2,000	4500	15,000	14800
3,000	5400	20,000	18300
4,000	6100	30,000	26000
5,000	7000	40,000	33800
7,500	8900	50,000	41100
10,000	11000	60,000	48900
Add for concrete slab found	ations, per SF		4.25

HORIZONTAL BULK STORAGE

Costs are for completely installed tanks, including saddles

or legs and fittings.

 Capacity	•		Capacity	
(Gallons)	Cost		(Gallons)	Cost
1,000	2400	-	7,500	6900
1,500	2600		10,000	8500
2,000	3000		12,500	10300
3,000	3800		15,000	12000
4,000	4400	-	20,000	15400
5,000	5000		25,000	18900
6,000	5600		30,000	21900

Fuel Oil Tanks

Per item for underground steel tanks, installed complete, including excavation and backfill.

oomproto, mo	iddiiig ondara	cross acres bactors
Capacity		
(Gallons)	Shell	Cost
500	10 GA	2400
1,000	3/16"	3600
2,000	3/16"	4900
3,000	3/16"	5600
4,000	3/16"	7000
5,000	1/4"	8500
7,500	1/4"	11000
10,000	1/4"	13600
12,500	5/16"	15800
15,000	5/16"	17700
20,000	5/16"	22400
30,000	3/8"	36600
	Capacity (Gallons) 500 1,000 2,000 3,000 4,000 5,000 7,500 10,000 12,500 15,000 20,000	(Gallons) Shell 500 10 GA 1,000 3/16" 2,000 3/16" 3,000 3/16" 4,000 3/16" 5,000 1/4" 7,500 1/4" 10,000 1/4" 12,500 5/16" 20,000 5/16"

SCHEDULE G (continued) Yard Improvements

Steel Tanks and Corrugated Metal Bins

	Bolted	Corrugated
Capacity	or Welded	Metal
(Bushel)	Steel	(Per Bin)
15,000	2.88	1.68
20,000	2.74	1.61
25,000	2.65	1.55
30,000	2.57	1.52
35,000	2.51	1.49
40,000	2.46	1.46
50,000	2.36	1.41
60,000	2.29	1.36
80,000	2.19	1.32
100,000	2.11	1.27
125,000	2.04	1.22
150,000	1.97	1.19
175,000	1.93	1.17
200,000	1.88	1.14
250,000	1.83	1.11
300,000	1.80	1.08

Grain Elevators

	Cost Per Bushel					
Total	Concrete					
Bushel	Wood Crib/N	Metal Clad	(Slip I	Form Cor	nstruction)	
Capacity	Elevator	Annex	Ele	evator	Annex	
8,000	15.82	9.18	1:	3.86	8.34	
10,000	14.46	8.30	1	2.43	7.48	
15,000	12.28	7.49	1	1.28	6.68	
20,000	10.93	6.76	1	0.35	6.16	
25,000	9.97	6.12	9	9.63	5.79	
30,000	9.27	5.65	8	3.99	5.50	
40,000	8.26	4.97	8	3.41	5.07	
50,000	7.54	4.50	7	7.96	4.77	
75,000	6.39	3.77	7	7.21	4.26	
100,000	5.69	3.31	6	5.72	3.93	
150,000	4.84	2.77	6	5.09	3.51	
200,000	4.30	2.43	5	5.68	3.24	
250,000	3.93	2.21	5	5.38	3.04	
300,000	3.65	2.04	5	5.13	2.90	
400,000	3.26	1.79	4	1.79	2.67	
500,000	2.98	1.63	4	1.53	2.51	
750,000	2.70	1.50	4	1.10	2.24	
1,000,000	2.43	1.39	3	3.83	2.06	
Over	2.19	1.32	3	3.14	1.65	

Horizontal Storage

The following costs are for horizontal or flat storage without loading and/or

unloading sys	tems.				
Capacity	Cost Per Bushel				
(Bushel)	Wood	Steel			
50,000	1.26	1.47			
75,000	1.18	1.39			
100,000	1.12	1.34			
150,000	1.06	1.27			
200,000	1.00	1.22			
250,000	0.96	1.18			
300,000	0.94	1.15			
400,000	0.89	1.10			
500,000	0.86	1.08			
750,000	0.80	1.01			
1,000,000+	0.77	0.98			

Trench and Bunker Silos

Per square foot

Horizontal Silos

			Ground Floor	Area (square f	eet)	
	2000	3000	4000	5000	6000	8000
Tilt-up concrete panels and precast wall						
supports, sealed, concrete floor	13.36	11.53	10.53	9.81	9.30	8.31
Poles and braces, tilt-up concrete panels,						
concrete floor	10.79	9.39	8.63	8.08	7.71	6.90
Cantilevered poles, plywood or tongue and						
groove walls, concrete floor.	9.38	8.26	7.68	7.23	6.93	6.26

SCHEDULE G (continued) Yard Improvements

Brick and Concrete Stacks

Per item (in thousands of dollars) including normal foundation, brick lining for 1/3 of the height, ladder and lightning rod.

	height, ladd		
Height	I.D. Top	Brick	Concrete
75'	4'	61	49
	5'	69	55
	6'	87	72
100'	4'	81	66
	5'	93	73
	6'	116	96
	7'	127	104
	8'	147	124
125'	5'	117	93
	6'	146	122
	7'	161	132
	8'	185	156
	9'	229	195
150'	6'	175	146
	7'	193	158
	8'	222	187
	9'	275	234
	10'	304	263
175'	7'	225	184
	8'	259	218
	9'	321	273
	10'	355	307
	12'	382	334
200'	8'	296	249
	9'	366	312
	10'	405	351
	12'	437	382
	14'	515	452
225'	8'	334	281
	10'	413	352
	12'	457	396
	14'	492	431
	16'	580	510
250'	10'	413	352
	12'	457	396
	14'	492	431
	16'	580	510
	18'	659	580

Steel Stacks

Per linear foot of height, installed complete including foundation and painted exterior.

Thickness				Diameter at	Base			
(At Base)	18"	24"	30"	36"	48"	60"	72"	84"
10 Gauge	184	234	282	332	420	515	594	
8 Gauge	212	269	325	372	475	570	665	
1/4" Plate		348	412	475	602	720	831	950
3/8" Plate				602	752	910	1029	1148
1/2" Plate					871	1029	1187	1346
Guy Wire (L/F)	0.47	0.57	0.62	0.71	0.82	0.95	1.03	1.11
Guy Band (Each)	52	79	101	123	173	226	277	337
Roof Flashing	364	515	673	831	1187	1544	1900	2296
Umbrella Top (Each)	136	207	285	372	562			

SCHEDULE G (continued) Yard Improvements

Incinerators

STEEL

Costs include scrubber, but

do not include chimney.

Pounds			
per Hour			Cost
50			19400
100			21600
200			27100
400			41200
600			63900
1000			151400
Add for feeder	7100	to	11000

BRICK

Costs include brick work, but do not include chimney or

pollution control.

Pounds	
per Hour	Cost
100	9800
200	12400
400	18000
600	23000
1000	33300
2000	59700
3000	85700
5000	137900
	1100001

For refractory lining, add 200%.

Chimneys

BRICK CHIMNEYS

Average cost per foot of height with tile flues, including foundation.

8" square or round flue	132.00
12" square or round flue	169.00
2-8"square or round flue	174.00
10" x 18" rectangle flue	178.00
1-8" and 1-12" square flue	210.00

METAL CHIMNEYS

Average cost per linear foot for round

galvanized metal stacks.

	Single	Double	Triple
Size	Wall	Wall	Wall
6"	23.94	26.12	27.95
8"	27.64	31.65	40.88
10"	36.69	45.87	57.29
Add for thru-the-wall installations. Add for box framed decorative chimney housing per linear foot:	175	to	280
Wood or stucco Metal	17.75 35.50	to to	26.50 52.60

Drive-In Theaters

Costs are broken into major cost items on a per space basis. Some

theaters may be mixed in quality requiring substitution from another grade.

	D	С	В	Α
Engineering	101	125	156	191
Grading	98	120	149	183
Paving	305	392	504	649
Screens	111	153	213	294
Ticket Booth	11	13	16	19
Miscellaneous				
Landscaping, etc.	68	98	143	207
Cost per car space	694	901	1181	1543

UNIT COSTS

The following costs may be used to either make adjustments to the cost per space pricing or as a build-up method to develop a complete theater cost.

	Low	Average	Good
Screen, per sq. ft. of screen area			
Wood frame on poles	17.63	19.13	22.50
Wood frame on timbers:			
Plain	21.40	20.10	23.40
Ornate	28.50	26.70	31.55
Steel frame:			
Plain	24.00	30.00	37.15
Ornate	32.25	30.30	35.75
Concrete, with steel-framed			
screen enclosure	36.00	44.30	54.00
Ticket Booths, each	5256.00	5285.00	6365.00

NOTE: Refer to the 30-year life table for depreciation.

NOTE: All other buildings including projection booths and

security fencing should be priced from the appropriate schedule.

Yard Improvements

Greenhouses

Price per square foot of floor space.

Cost includes foundation, light masonry or frame sill walls, glazed upper walls (6' to 7' overall eaves height), roof ventilation, lighting, and water service.

Cost does not include heating and ventilation systems, special watering or sprinkler systems, and planting benches.

	_
Type and Quality 500 1000 2000 3000 5000 10000 20000 30000 40000 50000 60000 70000 80000 90000	Over
Good aluminum/steel 68.32 45.79 33.17 26.94 24.41 22.75 20.00 18.74 17.67 17.26 16.33 15.63 15.16 14.77	14.38
Average steel 66.30 45.03 33.30 27.29 18.34 17.19 14.59 13.79 13.25 12.79 12.04 11.51 11.13 10.83	10.53
Average pipe 59.62 40.54 29.93 24.58 16.49 15.44 13.13 12.40 11.90 11.51 10.84 10.38 10.00 9.78	9.55
Low cost wood frame 49.76 34.09 25.54 21.19 14.07 13.21 11.12 10.49 10.03 9.71 9.18 8.80 8.50 8.27	8.05

Add for paved floors and

walks

Concrete 2.39 Asphalt

Add for maintenance and utility buildings, per square foot

Cheap shed-type Low cost frame, block or equal 24.31 Average cost block or equal 30.38 Average cost brick or equal 34.44 Good quality brick or equal 41.31

INSTITUTIONAL AND CONSERVATORY GREENHOUSES

Apply the following factors to the good aluminum and steel frame prices.

Typical installations 200% High quality elaborate installation 300%

Car Wash Buildings

DRIVE - THRU CAR WASH (Stationary Type, Exterior - Wash)

Per square foot, average quality, completely installed.

	Good	Avg.	Low Cost	
Masonry/Steel	69.66	64.58	59.51	
Porcelain-Steel	90.40	82.43	74.46	
Wood Frame/Stucco	60.94	56.13	51.32	

33700

11700

(November 30, 2011)

Cost includes concrete slab, floor drains, basic electrical, lighting and water service and equipment enclosure. Add for restroom fixtures from general commercial schedule.

DO-IT YOURSELF

Per item, completely installed (excluding equipment).

Good quality	
2-bay	
Each additional bay	
Average quality	
2-bay	
Each additional bay	
Low cost	

28000 9100 25300 2-bay Each additional bay 7900

Swimming Pools

Per square foot of pool surface, reinforced concrete construction, including piping & water treating equipment, heaters, boards, ladders.

MOTEL AND APARTMENT COMPLEX TYPE

Square Feet	Cost
1,000-1,200	62.70
1,300-1,500	60.80
1,600-2,200	57.20
2,300-2,500	52.00

SWIM AND COUNTRY CLUB TYPE

Square Feet	Cost
2,500-4,000	75.90
5,000-6,000	68.40
7,000-9,000	63.60
10,000-20,000	59.10
Over	54.60
Add for diving 'L	7.90

Add 25% Irregular shape Separate whirlpool bath (range) 6400 11100 Add for ceramic tile, per sq. ft. tiled area 10.45 Add for concrete apron, per square foot 4.75 Add for wading pool, per square foot 12.00 Price fencing from appropriate schedule. Price buildings from appropriate schedule.

LARGE MUNICIPAL POOLS Complete include bathhouse

Per person capacity 3390 5080

Commercial and Industrial Cost Schedules

SCHEDULE G (continued) Yard Improvements

Golf Courses

REGULATION PLAY

Costs per hole are given for five (5) quality grades of golf courses, ranging from cheaply built courses to excellent quality courses designed for professional play.

The costs for each grade have been developed to include the following:

- Architectural fees to include engineering, planning and on-site supervision (ranging from six percent (6%) to ten percent (10%)).
- Normal site preparation and grading, and follow-up fairway seeding and landscaping.
- Sprinkler installation to include the water source, pumps, piping and heads.
- Roadway construction to include base preparation, paving and bridging for service roads and cart paths.
- Green construction to include seeding and pre-opening maintenance.
- Tee construction to include seeding and pre-opening maintenance
- Bunker construction to include pre-opening maintenance.

GRADE AA

Superior quality course, designed to accommodate professional championship play, eighteen (18) holes on one hundred eighty (180) acres of rolling and laked terrain, seven thousand two hundred (7,200) yards long, rated par seventy two (72) and featuring a completely automatic sprinkler system throughout, ten thousand (10,000) square feet tiled greens, two thousand four hundred (2,400) square feet tees with three (3) tee locations, an average of three (3) bunkers per hole and good quality asphalt paved roadways.

GRADE A

Excellent quality course, designed to accommodate professional championship play, eighteen (18) holes on one hundred sixty (160) acres of rolling and laked terrain, seven thousand two hundred (7,200) yards long, rated par seventy two (72) and featuring a completely automatic sprinkler system throughout, eight thousand (8,000) square feet tiled greens, two thousand one hundred (2,100) square feet tees with two (2) to three (3) tee locations, an average of three (3) bunkers per hole and good quality asphalt paved roadways.

GRADE B

Good quality private club type course, eighteen (18) holes on one hundred thirty (130) acres of rolling terrain, six thousand four hundred (6,400) to six thousand five hundred (6,500) yards long, rated par seventy (70) and featuring an automatic sprinkler system serving the greens and tees, and a manual system on fairways, five thousand (5,000) square feet tiled greens, one thousand eight

hundred (1,800) square feet tees with two (2) tee locations, an average of two (2) bunkers per hole, and good quality asphalt paved roadways.

GRADE C

Average quality public and municipal type course, eighteen (18) holes on one hundred ten (110) acres of primarily flat terrain, six thousand (6,000) yards long, rated par sixty-seven (67) to seventy (70), featuring a semi-automatic sprinkler system, small tees and greens with few bunkers and average quality asphalt or gravel roads.

GRADE D

Fair quality course, eighteen (18) holes on ninety (90) acres of flat terrain, five thousand four hundred (5,400) yards long, rated par sixty-four (64) to sixty-seventh (67), and featuring a manual sprinkler system, small tees and greens with few bunkers and gravel roadways.

BASE COST PER HOLE

AA Grade	183,000
A Grade	132,000
B Grade	82,000
C Grade	56,000
D Grade	28,000

NOTE: The costs per hole, and components represent neither the best nor the cheapest quality courses and may be factored upward (ten percent (10%) to fifty percent (50%)) or downward (ten percent (10%) to fifty percent (50%)) as required.

For hybrid courses (courses exhibiting different quality grade features), it may be necessary to interpolate between grades.

TYPICAL COST-RAN	IGE FOR COM	MPONENT
Tees	0.60	per SF
Bunkers	2.20	per SF
Greens		
Flat	2.00	per SF
Elevated	3.70	per SF
Lakes		
Asphalt lined	2.40	per SF
Plastic & sand	1.80	per SF
Sprinkler systems		
Manual	7500	per hole
Automatic	16000	per hole
Site preparation and		
landscaping	6000	per hole

SHORT PLAY

Cost range per hole, excluding structures and parking areas.

Executive courses, 18 holes on 50 to 60 acres, 4,600 yards long including sprinkler system, excluding lighting

52000

Par 3 course, 18 holes on 30 to 40 acres, 2,800 to 3,000 yards long, including sprinkler system, excluding lighting

35000

Pitch and putt, 9 holes on 10 to 15 acres, 1,400 to 1,500 yards long including sprinkler system, excluding lighting 25000

GOLF COURSE LAND VALUES

The reproduction cost for a regulation or short play golf course improvement includes a cost for the land of \$_____ per acre without a consideration of productivity factors. The following formula is used to determine the true tax value of a golf course:

STEP ONE: Determine the number of holes in the golf course.

STEP TWO: Multiply the number of determined in STEP ONE by the base cost per hole

STEP THREE: Determine the amount of acreage in the parcel devoted to the golf course (greens, fairways, roughs, etc.).

STEP FOUR: Multiply the amount determined under STEP THREE by \$495.

STEP FIVE: From the amount determined under STEP TWO, subtract the amount determined under STEP FOUR. STEP SIX: To the amount determined in STEP FIVE,

apply the appropriate depreciation percentage. The true tax value of the golf course land is \$1,050 per acre.

Yard Improvements

Typical cost per hole including plumbing but excluding building structures, fencing, and parking areas.

Excellent installation, professionally designed	16500
Good installation	11000
Average quality installation	5000
Low cost installation	2400

Golf Driving Range

Typical cost per station, including station paving, normal fencing, but excluding building structures and parking areas

Excellent installation	5000
Good installation	3300
Average installation	2500
Low cost installation	1700

Artificial Turf

Per square foot, for football and baseball, including pad 11.75

Bleachers

Typical cost

		Per	Per
	Seats	Seat	
Portable, steel frame,			
wood benches, outdoor	Up to 800	14.50	45.25
	Over 800	13.44	40.38
Permanent, wood frame			
and benches, outdoor	Up to 1000	18.81	59.31
	1000 to 2000	17.50	54.44
	Over 2000	16.38	50.13
Permanent, steel frame			
fiberglass benches, outdoor	Up to 1000	29.19	91.94
	1000 to 2000	27.13	84.38
	Over 2000	25.38	77.69
Add for roofed area	6.80 to	8.75	per S.F.

OUTDOOR STANDS OVER DRESSING ROOMS

Including finish and plumbing.				
			Per	Per
			S.F.*	Seat
Average wood seats, steel frame Average steel seats, concrete or		-	61.13	192.19
masonry walls			68.56	212.81
Average concrete seats, concrete or				
masonry walls .			92.13	278.50
Add for roofed area; per sq. ft.	9.30	to	15.00	per S.F

^{*}Square foot of projected horizontal area

Running Tracks

Per square foot

Gravel and cinder on stone base	1.10
Resilient paving, rubber cork base	
Plain	2.25
Colored	2.75
Rubberized asphalt, colored	3.00
Artificial resilient material, asphalt base	9.75

Typical cost for gravel track with minimal requirements for 440 yard oval 21' wide, 24' x 750' long straight-away, including high jump, pole vault, broad jump, discus and hammer throw and shot-put facilities 70,000 90,000 Typical cost to include football field 140,000 175,000

Sports Stadium

Typical cost range per seating capacity (baseball capacity) for all structural improvements in-place.

Older type parks	1200	to	1500
Modern type parks	16000	to	2400
Enclosed, roofed stadiums, artificial			
turf, scoreboard	2300	to	4800

Tennis Courts

Typical cost range per court, 60 x 120 including fencing.

Typical cool range per count, co x 120 i	Deluxe	
	Standard	
Clay surfaced court	31000	43400
Add per additional court	24500	34300
Asphalt surfaced court	32000	44800
Add per additional court	25000	35000
Sod surfaced court	31500	44100
Add per additional court	25000	35000
Add for lighting	8300	11600
Per additional court	4200	5900

Paddle Tennis Courts

Typical cost per court, 6' x 52' concrete

Typical costs range per set, 54' x 55' deck with two 18' x 39' playing courts, installed complete including deck and supports, accessories.

	Standard	Deluxe
Bituminous concrete deck, colored	30000	38000
Treated wood deck	35000	46000
Insulated steel deck	38000	46000
Shuffle Board Courts		

1700

2500

to

Commercial and Industrial Cost Schedules

SCHEDULE G (Continued)

Yard Improvement

Mobile Home Parks General Specifications EXCELLENT "A"

The excellent mobile home park provides deluxe accommodations for the largest single and double wide homes. It will have complete and various recreational facilities of top quality and feature generous amounts or landscaping, sprinkler systems, etc.

GOOD 'B'

The typical good park is one catering to the larger, permanent mobile home. It will accommodate a limited quantity of double wides and will feature complete recreational facilities. All utilities are underground and may include cable TV systems.

AVERAGE 'C

This type of park is built more for permanent occupancy and will have spaces to accommodate the manufactured home up to sixty (60) feet but few if, any, double wide versions. They will have utility buildings, office and possibly recreational facilities, electrical costs include underground service and telephone

to most sites as well as street lighting.

LOW COST "D"

Developed for transient or semi-permanent occupancy, these parks usually have car-drawn trailers up to forty-five feet (45) long. They feature limited planning and facilities and have sewer or septic system hook-ups and water, but not gas hook-ups, except to utility buildings and electrical service is overhead.

CHEAP 'E'

Typical of sites developed in outlying rural areas where there is minimal or no building code enforcement. There will be close spacing and few facilities and are designed for smaller mobile homes. They feature water service to common hydrants with no trailer hook-ups.

COST PER SITE																
	Quality Grade		Α			В			С			D			Ε	
	*Site Size (Sq. Ft.)	2700		5100	2000		4700	1700		3700	1000		2900	700		2400
	**Cost Range (\$)	12330		13090	8900		9990	5850		6920	4000		4950	2040		2890
Components of above cost																
Engineering		1210		1300	900		1010	600		710	410		500	200		290
Site Grading		1160		1240	810		920	510		610	330		410	160		230
Street Paving		1800		1910	1330		1490	880		1040	660		830	400		560
Patios and Walks		1550		1640	1010		1140	660		780	440		540	230		310
Sewers		1180		1250	960		1080	730		860	530		650	310		440
Water		1150		1210	880		980	600		710	440		540	250		360
Electric		1930		2040	1430		1600	950		1130	650		800	340		480
Gas		750		800	530		590	330		380	200		250	0		0
Misc. (landscaping, recreation,																
facilities, etc.)		1600		1700	1050		1180	590		700	340		430	150		220
Total		12330		13090	8900		9990	5850		6920	4000		4950	2040		2890

^{*}Site size refers to the average of the actual site on which the mobile home is situated, exclusive of access drives, recreation areas, and service areas.

NOTE: In appraising mobile home parks through the use of this schedule, complete the following steps:

- Enter the number of sites and proper rate in the SUMMARY OF IMPROVEMENTS section and calculate reproduction cost.
- 2. Apply proper depreciation considering age and condition (use residential guidelines)

 Appraise other structures (i.e. garages, community rooms, laundry buildings, etc.) from appropriate schedules.

NOTE: This schedule is NOT to be used for recreational vehicle parks.

^{**}The cost range per site includes all of the components shown above, naturally, if the sites being appraised do not include all of the above components, proper deductions should be made according to the above schedule.

Yard Improvements

Riverboat Cost Schedules

For Indiana property tax purposes, the reproduction cost of a riverboat licensed under IC 4-33 shall be computed in accordance with Schedule A or B in this section. Typical cost range per certified capacity for all structural components in-place. Certified capacity is the maximum persons capacity as prescribed by the regulations of the Coast Guard, Department of Transportation. For purpose of this section, certified capacity includes both passengers and crew.

SCHEDULE A

Riverboats licensed in counties contiguous to Lake Michigan:

Certified capacity of 2,000	19,000,000	
More than 2,000, add	2,500	per person
Less than 2,000, deduct	2,500	per person

Example: A Lake Michigan riverboat has a certified capacity of 3,000 persons. The difference in capacity between the subject and the model is 1,000 people. To calculate the boat's reproduction cost, multiply the capacity difference of 1,000 by the per person cost and add it to the base as follows:

2,500 x 1,000	=	2,500,000
19,000,000 + 2,500,000	=	21,500,000

SCHEDULE B

Riverboats licensed in counties contiguous to the Ohio River:

Certified capacity of 2,000	17,100,000	
More than 2,000, add	2,500	per person
Less than 2.000, deduct	2.500	per person

Example: An Ohio River riverboat has a certified capacity of 1,600 persons. The difference in capacity between the subject and the model is 400 people. To calculate the boat's boat's reproduction cost, multiply the capacity difference of 400 by the per person cost and deduct it from the base as follows: and add it to the base as follows:

 $2,500 \times 400$ = 1,000,000 = 16,100,000 = 16,100,000

Landfill Liners

The following schedule is to be used in assessing liners installed within landfills.

A landfill liner is a series of layers of special earth materials and plastic that is placed within the landfill cell to retain leachant within the structure and discourage subterranean water from infiltrating the cell. The rates given represent a composite build-up of the liner and can be used as either a system total or on a component basis depending on the subject landfill.

Once the subject's rate has been determined, multiply the desired rate by either the number of square feet or the acreage within each cell and calculate a depreciation percentage from the twenty (20) year life expectancy table. Record the true tax value as a sound value item in the "Summary of Improvements" section of the property record card.

The land value for the area underneath the cell should be valued at the commercial unusable undeveloped rate with a "floating one (1) acre" at the primary rate until the cell has been closed. After closure, the entire acreage of the cell is valued at the commercial unusable undeveloped rate.

	Per	Per
	S.F.	Acre
Compacted soil barrier (10" to 24")	0.65	28300
Flexible membrane liner (60 mil.)	0.45	19600
Geosynthetic clay liner blanket (30")	0.55	24000
Sand drainage layer (12")	0.50	21800
Total	2.15	93700

Protective cover layer - part of unusable undeveloped rate.

Yard Improvements

Commercial-Type Solar Heating and **Cooling System Base Rates**

For large commercial applications, multiply the system's total collector square feet by the following square feet base rates. To arrive at the system's correct reproduction cost, determine the rate from the schedule below by choosing a rate, listed to the nearest five thousand (5,000) square feet, that is closest to the subject's system total area. Do not interpolate between rates.

	Per
Square Footage	S.F.
5,000 to 10,000	63.87
15,000	57.23
20,000	55.60
25,000	54.38
30,000	53.39
35,000	52.58
40,000	51.88
45,000	51.27
50,000 and over	50.73

Geothermal Heating and Cooling

System Base Rates

HORIZONTAL CLOSED LOOP SYSTEMS

		HCLSWD	HCLSWOD
System Tonnage		w/distribution	w/o distribution
2	Ton	9800	8600
2.5	Ton	12500	10500
3	Ton	15400	12800
3.5	Ton	18100	15000
4	Ton	20800	17100
5	Ton	25700	21300
6	Ton	30600	25500

VERTICAL CLOSED LOOP SYSTEMS

		VCLSWD	VCLSWOD
System Tonnage		w/distribution	w/o distribution
2	Ton	11700	10300
2.5	Ton	14800	13000
3	Ton	18100	15600
3.5	Ton	21300	18100
4	Ton	24500	20800
5	Ton	30400	25900
6	Ton	36200	31100

OPEN DISCHARGE OPEN LOOP SYSTEMS

		ODOLSWD	ODOLSWOD
System Tonnage		w/distribution	w/o distribution
2	Ton	8400	7200
2.5	Ton	10700	8800
3	Ton	13100	10400
3.5	Ton	15400	12100
4	Ton	17600	13800
5	Ton	21600	17200
6	Ton	25500	20600

RETURN WELL OPEN LOOP SYSTEMS

		RWOLSWD	RWOLSWOD
System Tonna	age	w/distribution	w/o distribution
2	Ton	9200	8100
2.5	Ton	11500	9700
3	Ton	13900	11400
3.5	Ton	16100	13000
4	Ton	18500	14600
5	Ton	22400	18000
6	Ton	26300	21300

SPECIAL USE COMMERCIAL PROPERTY COST SCHEDULES

3000

3500

4000

94.02

92.19

Fast Food Restaurant Base Costs

Per square foot, C - Grade quality and design Area Cost Area Cost 700 155.55 2200 104.29 800 149.34 2300 103.22 900 144.14 2400 102.14 1000 133.60 2500 101.23 1100 129.23 2600 100.32 1200 124.85 2700 99.55 1300 121.68 2800 98.78 1400 118.52 2900 98.08 97.39

1800 109.88 4500 90.71 1900 108.35 5000 89.47 2000 106.81 5500 88.37 2100 105.55 6000 87.43

116.11

113.69

111.79

Add for basements per square foot

1500

1600 1700

Area	Unfinished	Finished	Finished
		Open	Divided
200	55.62	98.85	
400	42.64	83.35	
600	37.08	76.55	88.45
800	35.47	72.45	84.46
1000	33.86	69.62	81.71
1200	32.43	67.60	79.75
1400	31.00	65.96	78.16
1600	29.58	64.70	76.93
1800	28.15	63.63	75.89
2000	26.72	62.69	74.97
2200	27.28	61.93	74.24
2400	27.14	61.24	73.56
2600	27.00	60.67	73.01
2800	26.86	60.10	72.46
3000	26.01	59.60	72.03
3200	25.35	59.22	71.60
3400	24.68	58.78	71.23
3600	24.02	58.46	70.87
3800	23.35	58.09	70.56
4000	22.69	57.77	70.25

Add for canopies per square foot

Quality Grade and Design Factors

To be applied to the C - Grade prices above.

Α	-1	160 150	Α
	+2	140	
	+1	130	
В		120	В
	-1	115	
	+2	110	
	+1	105	
С		100	С
	-1	95	
	+2	90	
	+1	85	
D		80	D
	-1	70	
	+2	60	
	+1	50	
E		40	Е

Paving

Per square foot See commercial yard paving rates

Detached Canopies

Per square foot

Low cost installation	15.87
Average installation	17.49
Good installation	20.18
High cost installation, elaborate finish and décor	24.42

Note: Solariums should be included in the base area and priced using the appropriate base rate.

SPECIAL USE COMMERCIAL PROPERTY COST SCHEDULES (continued)

Stations with Service Bays

Per square foot C - Grade quality and design.			
Area	Cost	Area	Cost
600	96.21	1400	71.31
700	90.08	1500	70.39
800	85.50	1600	69.48
900	81.91	1700	68.57
1000	79.06	1800	67.65
1100	76.72	2000	65.20
1200	74.79	2200	63.18
1300	73.13	2400	61.46

NOTE:

For drive-thru car wash bays see car wash building schedule.

Stations without Service Bays

Per square foot C - Grade quality and design.			
Area	Cost	Area	Cost
150	171.68	800	76.77
200	145.52	900	74.07
250	128.84	1000	71.93
300	117.22	1100	70.15
350	108.49	1200	68.68
400	101.75	1300	67.44
500	91.77	1400	66.01
600	84.74	1500	65.38
700	80.17	1600	64.77

Add for unfinished basements				
	Area	Cost	Area	Cost
	200	55.62	1000	33.86
	400	42.64	1200	32.43
	600	37.08	1600	29.58
	800	35.47		

Add for attached canopies, per square foot.

Typical steel frame including soffit and lighting

Typical unfinished wood frame including lighting

9.00

Public Restroom Building

Per square foot.

rei squale 1001.				
	Area	Cost	Area	Cost
	125	122.48	800	88.01
	150	117.27	900	87.45
	200	109.97	1000	87.16
	250	104.99	1100	86.97
	300	101.30	1200	86.94
	400	96.10	1300	86.93
	500	92.59	1400	86.44
	600	89.95	1500	86.91
	700	88.75	1600	87.26

Paving

Per square foot.

See commercial yard paving rates

Quality Grade and Design Factors

To be applied to the C - Grade prices above.

Α		160		-1	95
	-1	150		+2	90
	+2	140		+1	85
	+1	130	D		80
В		120		-1	70
	-1	115		+2	60
	+2	110		+1	50
	+1	105	E		40
C		100			

Detached Canopies

Per square foot.

Includes lighting, soffits and supports.

		Wd, Frame
	Steel	and Sheath
Low Cost Installation	18.90	8.82
Average Quality Installation	24.47	10.97
Good Quality Installation	27.02	11.72
High Cost Elaborate Installation	29.15	12.13

Add 25% for round canopy

Self - Service Cashier Booths

LOW COST Per square foot Open style booth, minimum elect.,

no plumbing Area Cost 25 255.68 50 185.70 75 142.00 132.33 100 125 125.40 150 116.83 175 110.10 200 104.71 225 100.18 250 96.43 275 93.16 300 90.27

Area Cost 50 308.11 75 262.96 100 208.12 125 195.48 150 157.79 175 147.01 200 138.53 225 131.75 250 121.34 375 117.22 <u>113.</u>59 300 Add 25% for bullet-proof glass. Add for plumbing.

AVERAGE (STEEL)

Typical cashier booth,

Per square foot

good elect.,

no plumbing

GOOD (STEEL)
Good security structure
with bullet-proof glass

and 2 plumbing fixtures.				
Area	Cost			
25	431.62			
50	351.93			
75	275.64			
100	255.97			
125	206.53			
150	191.51			
175	179.81			
200	170.50			
225	162.74			
250	156.32			
275	150.75			
300	145.86			
A -1-1/-11+ f-	and the same had been as			

Add/deduct for plumbing Add for intercom system 1300 per fixture. 380

Location Cost Multipliers

The residential cost schedules in this manual are based on the building costs for residential structures in the Indianapolis metropolitan area as of January 1, 2011. By applying these cost schedules, the assessing official is attempting to calculate the replacement cost new of a residential structure within his/her jurisdiction. Since construction costs vary from one jurisdiction to another, it shall be necessary to apply location cost multipliers to the costs published in this guideline in order to accurately reflect actual costs within his/her jurisdiction.

These location cost multipliers can be determined in one of two ways. The first and most accurate method is for the county assessor to develop a location cost multiplier for his/her respective county. This can be done using techniques such as surveying residential contractors to determine actual construction costs or by comparing the cost of residential structures built and sold on or about January 1, 2011 to the costs published in this manual. The county assessor may use any acceptable technique of estimating a location cost multiplier and must submit the technique and resultant multiplier to the DLGF for review and approval prior to its application in the county.

The second method, which is presented as an alternative to the preferred method, is to use the location cost multipliers listed in Table G-1 below. These multipliers have been developed by reviewing comparative cost multipliers for various Indiana localities as published in several national cost services.

The location cost multiplier is to be applied to all residential improvements, not just the main structure, in order to arrive at replacement cost new. The only exception to this is with manufactured and mobile homes, they will not receive a cost multiplier, as they are typically built in a given location and delivered to various locations to be used. The proper place for applying the location cost multiplier is discussed in Chapters 3, 4 and 5 of this manual.

Table G-1--Location Cost Multipliers by County

COUNTY	MULTIPLIER	COUNTY	MULTIPLIER	COUNTY	MULTIPLIER
Adams	91.00%	Hendricks	100.00%	Pike	90.00%
Allen	91.00%	Henry	86.00%	Porter	105.00%
Bartholomew	91.00%	Howard	89.00%	Posey	99.00%
Benton	90.00%	Huntington	91.00%	Pulaski	90.00%
Blackford	86.00%	Jackson	91.00%	Putnam	100.00%
Boone	100.00%	Jasper	95.00%	Randolph	86.00%
Brown	94.00%	Jay	86.00%	Ripley	93.00%
Carroll	89.00%	Jefferson	92.00%	Rush	100.00%
Cass	89.00%	Jennings	91.00%	St. Joseph	94.00%
Clark	92.00%	Johnson	100.00%	Scott	92.00%
Clay	92.00%	Knox	89.00%	Shelby	99.00%
Clinton	100.00%	Kosciusko	94.00%	Spencer	95.00%
Crawford	92.00%	LaGrange	91.00%	Starke	97.00%
Daviess	89.00%	Lake	105.00%	Steuben	91.00%
Dearborn	93.00%	LaPorte	104.00%	Sullivan	92.00%
Decatur	91.00%	Lawrence	92.00%	Switzerland	93.00%
Dekalb	91.00%	Madison	100.00%	Tippecanoe	90.00%
Delaware	86.00%	Marion	100.00%	Tipton	100.00%
Dubois	89.00%	Marshall	94.00%	Union	86.00%
Elkhart	94.00%	Martin	89.00%	Vanderburgh	99.00%
Fayette	86.00%	Miami	89.00%	Vermillion	92.00%
Floyd	92.00%	Monroe	92.00%	Vigo	92.00%
Fountain	90.00%	Montgomery	100.00%	Wabash	89.00%
Franklin	93.00%	Morgan	100.00%	Warren	90.00%
Fulton	89.00%	Newton	94.00%	Warrick	99.00%
Gibson	99.00%	Noble	91.00%	Washington	92.00%
Grant	89.00%	Ohio	93.00%	Wayne	86.00%
Greene	92.00%	Orange	92.00%	Wells	91.00%
Hamilton	100.00%	Owen	92.00%	White	90.00%
Hancock	100.00%	Parke	92.00%	Whitley	91.00%
Harrison	92.00%	Perry	89.00%		